

MAGIC CROCHET

HOME DECORATION

Geometric and romantic motifs


in filet crochet

WITH-IT WARDROBE

Clothes for you

and your children

PLUS 20 FULL PAGES OF CRAFTING IDEAS



Sporty doll,

necktie patchwork,

needlepoint,

feltwork and more

CONTENTS

4-5 Crochet basics

6 How to follow our diagrams

GILL OF EUR SIDE OF A PRICE NOIS

7 Eyeglass case 8-9 Filet basket bag

10-11 Placemat and napkin ring set

12-13 Irish rose picture 14-15 Field flowers in frame

HOWE ANDBIENCE



16-17 Square centerpiece

18-19 Victorian pillowtop

20-21 Filet crosses and bows

22-25 Openwork tablecloth

26-27 Chevron runner

28-29 Child feeding animals

30..... Diamond mat

31-32 Romantic pillowtop

32-33 Irish-style doily

34-35 Robust runner 36-37 Rosy outlook

38-39 Outgoing roses

40-41 Lace and linen mini-mat

TO KEEP

AND

TO CHERISH

43-45 Roses and snowflakes bedspread

48..... Runner with linen squares



DIFFERS OF MODERATION

47-51 One-of-a-kind afghan 48-49 Rainbow bedspread

MAII BOINE NEXT COURT WERE

52-53 Toddler's pull and knickers 54-55 Toddler's striped sweater 56-57 Child's hooded jacket 58-59 Baby's vest and pants



WARRINGWIELTHER

EASHIONS

60-61 Exurbanite lace blouse

62-63 Airy T-top

64-65 Beribboned

bare-shoulder blouse

66-67 Southbound cardigan

with Nordic



Wester Blown States Charles States

68-69 Sentimental ribbons :

Pillow cover

70-71 Decorator's delight :

Picture for a child's room

72-73 Fabulous feltwork : Soft doll and

74..... Oven mitt

75..... Needlepoint : Seat and back


for an antique armchair

76...... Old into new :

Necktie patchwork tablecloth

78-82 Dolls : Ginger, the model doll

83..... Coming in the next issue



HOW TO WORK PATTERNS FROM OUR DIAGRAMS

On this page and the next, you will find the key abbreviations and symbols used in our diagrams and instructions. Step-by-step thistretions show newcomers how to work the basic stilches and techniques. Additional abbreviations or symbols needed for a specific project will be included and explained with that pattern.

Note that, in each disgram, rounds or rows are numbered in lightface, while a boldface number inside a loop sidicates how many chain stitches to work in that loop.

Abbreviations

bea hersisiness Dettermin chain (smch)

m. chain(s) prevokey made ocol. CONTRACE double reneited des decrease

(tep(a) CENTERALS) and double exempt bec me mersage. D(s) Tonnie) mach ac

pak's) pattern's DEPMOSS Otey rapeating) nem md(e) nounch(s) nont aide

RS

80 single amme ale elep हो आ thip stuck ap(s) quacads) (2)h enich(ea) ruming clies loa

mdwgor wiple crocrest Wis ज्याना प्राचित yarn over book

CHAIN (also beginning chain)

(cn O or chain stick Odla sitt



inpert book from front to back in near saids CROCHET under both apper strands, were over book

hoor, yem over house aged Straw thru 2 Idags on hock. SEX Chille ton









(n's)

Sen X





Dised to four on go mintered to jain mores and erdores to start hops incemer of no-Y DUS TOODS, and att up:

HALF DOUBLE CROCHET maci I

Ch 3 to light









DOUBLE CROCHET

(de) \$



Ch 3 to Jum











TRIPLE CROCHET













CROCHET BASICS

THREE WAYS TO MAKE A PICOT (p)

Work descrict number of easier of) six, then continue in original as (1) Work easier of six, then pin with at (3) or so (3) in that shirth of protection.











THREE WAYS TO BEGIN

L ef st to force page.













2. Form kep with











3. Form exployed cop







RAISED HALF DOUBLE CROCHET (R hdc

Yam over book insent book form from from to back to from ersond stone of it below, yam over book pull up took complete as led. Werle if do or it so in samo.



ATTACH YARN

FASTEN OFF







7 CUT YARN



How to follow the diagrams

Creekeung involves only a limited number of statches, but by combining them you can create many different patterns. We have devised a system of symbols for the statches and these symbols are used in a pietonal diagram of each pattern or mout. From the diagram you can see the degree of difficulty of each project, and you can tall at a plance how for along you are by checking your work against the diagram. While you may be an lamiliar with this approach in crochesing, we look sure that, with a bit of practice, you will fine it much quicker and casics turn a row-br-row description method


To get your project working smoothly read the truttuctions and consult the abbreviations. As you proceed with the sid of the disgram, keep obecking buck to the CRO. CHET RASICS tection at the and of the manusine for the symbo.

Take, for example, the diagram shown here. Hows or rounds are numbered in lightface: a bufulace number inside a long tells you llow many chain stitches to make in

stitch is ch. or ch 2, and the cymbol is O. En this sample diagram, you can see that in Round I a loop has 6 ch, while a fone in Round 3 has 9ch. In Round 4, yes are working in groups of 9 treble ameliets, for which the abbreviations is to and the symbol is Only part of Round 3 is given to detail That is because the same series of stitches is repossed all the way around. Likewise only one petal is shown in full detail, because the same pattern is repeated each firm. Arrows indicate the direction of work. Note that some patterns will require special symbols. and these will appear alongside the diagram with an exponention

The additional diagrams - completed week details of edging, etc. - will asset you in making more advanced crocket projects.

You are now ready to try your hand at any of our levely pasierns. A wood of advice. At ways read the instructions carefully before you begin. They may comain information on a fancy strick, or on edging or assembling, that is not shown in the diagram.



Sample gauges for classical threads

Six-cord crucket cotton number	American hoot	Size of swatch
5	7	3" s 3" = 33 de a 15 rews
10	8	3" & 3" = 36 de x 16 rows
10 20	9	3" x 3" = 40 de x 16 renes
30	10	3" x 3" - 45 uc x 18 rows
40	11	3" x 3" = 47 dc x 19 rows

For information on buying strengs write to BUCILLA, Alta - Yam Desam, 150 Meadowlands Pkwy, Steaucos, N.J. 97094, CDATS & CLARK, Inc., Buol CS. P.O. Box, 1989, Decreate-DMC Corp., 107 Trusshall & Pleasbath, N.J. 17204 PINGOUIN Corps., P.O. Box 100, Highway 41, Jamestown, S.C. 2003,

All aboutcottons and hooks

There are many types or creebet thread on the market, and several types of hooks. To help you choose the right yarn and the mild hook, here is a description of the more common cracket cottons, with their yardage. und a chart of book size equivalents. Keep et mind that your individual crocketing style may call for a slightly thicker or thingsbank than the use recommended for a specific project.

CLASSICAL THREAD Six-condended cotton is available to several culars and thicknesses (the nigher the number, the fanor the threads, and it is tightly twisted Four-cord, three-cord or uncorded thread is less capensive and easy to

Each ball weight Migrams, or approx, 5/4 of an number

No. of cutture throad	Inter- entional look tize	
3 (83 (25)	1:75	4
5 (111 yds), 30 (124 yds), 15 (136 yds), 20 (174 yds)	150	×
30 (216 yzh) 40 (249 zdk), 50	1.25	10
(206 volc)	(BIII	12
60 (33) vani	1.00 dr 6.75	12 ort 11
70 (361 yds).		
89 (398 yds)	U75	14
JOD (472 yas), 420 (308 V)		
1.90 (584 yels)	0.80	16

FANCY YARNS : Each ball weight 90 grams, or energy 1 374 nz

Sheets : California out	ton, 3-ja	ir, with a
No. 5(14) ydx) No. 10(282 yd4) No. 20(405 yds) No. 30(563 yds)	2.00 1.97 1.25 1.60	0 8 10
Fil d'Ecose No. 5, 8-ply with a sheen (184 vds)		d Iwisi,
Pend cortism: Egyptians loosely livisted No. 5 (266 yels) No. 5 (882 yels)	240 130	2 piy -
Onlinety rescirct cotion, 2-pty (230 yels)	175	4
Knitting cotton No. 4 Egyptare eption. 6-ply, with a hig sheen (224 vils)	2.00	1

Sell laiding twist:	Culifornia en	iton.
Siply, mar, loosely.	rwisied.	
Gives a mistar look	In your	
project. Various sa	andus and	

Discharges 2.81 No. 4 (175 vds) Na. 6 (262 rds) 2.10

1

EYEGLASS CASE

By Darma Bregoti

SIZE: About 6 1/2" x 3 1/2".

MATERIALS: Pearl crochet cotton no. 8, about 200 yds in white.

Steel crochet hook US size 9 or

SIZE FOR GAUGE. Coin-purse type closure. White cotton fabric for lining, piece 13 3/4" x 3 3/4".

White sewing thread.

GAUGE: 2" sq = 9 meshes and 11 rows.


TO MAKE

FILET BAND: Beg at narrow edge, ch 43 + 3 to turn. Row 1: De in 5th st from hook and in each st across; ch 3, turn each row. Row 2: De in next to last de and in each of next 2 de. (2 ch. sk 2 sts. de in next st) 12 times (= 12 open meshes), de in each of last 3 sts. Rows 3-76: Work following diagram. For solid mesh over open mesh work 2 de over ch-2, de in next de. After completing row 76, fasten off:



TO JOIN EDGES


insert top edges of case into closure frame, press metal edges together



LINING: Fold fabric in half along 13 3/4" length. Stitch side edges (seam allowance = 1/4"), leaving enough seam open at top to insert into closure frame.

FINISHING: Fold filet band in half along top of row 38. Leaving 7 rows at top of each edge free, join as follows: Inserting hook through both thicknesses work *1 se, I p (= 3 ch, sl st in first st of ch-3),

rep from *across. Fasten off. Work across 2nd side to correspond. Insert lining, Insert top of case into closure frame (see diagram).







FILET BASKET BAG

Designed by Darma Bregoli

SIZE: Maximum height, 8 1/2"; maximum width, 14 1/4"; handle, 1 1/4" x 13 3/4"; bottom, 8 5/8" x 4 1/8"

MATERIALS : White crochet cotton no. 10, about 400 yds. Steel crochet hook US size 7, or SIZE FOR GAUGE, Iron-on white cotton lining, piece ca. 14" x 20".

GAUGE: 4" sq = 16 meshes and19 rows.

TO MAKE


SIDES: Beg at lower edge, ch 252 and join to form ring. Rnd 1 : 1 dc (first dc = 3 ch throughout) in each st around - 252 dc; close with al st in top of ch-3 throughout. Rnd 2:3 ch, dc in each of next 3 sts, (2 ch, sk 2 sts, dc in next dc) 40 times (= 40 open meshes). dc in each of next 6 sts (= 2 solid meshes), 40 om, dc in each of last 3 sts. Rnds 3-32: Work mds following diagram and referring to symbol key. For sm over om, work 2 dc over ch-2, 1 dc in next dc. Rows 33-42 : After completing rnd 32, work each side of basket separately in rows, dec as per diagram (= si st across req number of sts at beg of row; leave req number of sts unworked at end of row).

HANDLE: After completing row 42 of one side, cont working across 6 meshes for 59 rows as per diagram. Fasten off.


BOTTOM: Beg at center, ch 50 + 3 (= first de throughout). Rnd 1: De in 5th st from hook and in each stacross, 8 de in last st, contacross other side of begin to correspond; close with sl st in top of ch-3 throughout. Rnds 2-9 : Work following diagram. Fasten off.


FINISHING

Iron on lining to all completed pieces. Carefully trim off excess fabric. Sew handle with slip-stitch to top of row 42 of 2nd side. Sew bottom to sides with over-andover stitches.



SYMBOL KEY





intermediate



PLACEMAT AND NAPKIN RING SET

SIZE: Placemat is 7 1/4" in diameter.

MATERIALS: Crochet cotton no. 5, yellow: about 125 yds for mat and about 50 yds för ring. Steel crochet book US size 1, or SIZE FOR GAUGE. Double-face green satin ribbon, 1/4"-wide, 1 3/8 yd: 1/3 length for ring, the rest for mat. One yellow button.

GAUGE: First 2 ands of mat = I" in diameter.

NOTE: For mat measuring ca. 4" in diameter, use crochet cotton no. 30 and steel crochet hook US size 11 or 9 - just right for a coaster!

TO MAKE


PLACEMAT: Form lp with end of thread. Rnd 1. In lp work 20 dc (first dc = 3 ch throughout); close rnds 1-9 with sl st in top of ch-3. Pull thread end to close lp opening. Rnd 2: Work (2 de in de, 1 de in next de) around - 30 de. Rnd 3: *2 dc in dc, 1 R dc (see CRO-CHET BASICS) in each of next 2 dc. Rnds 4-9 : Work de and R de following diagram. Rnd 10: Ch 1, work so in each do around - 110 sc. close with sl st in first sc. Rnds 11-14: Work as per diagram. After completing and 11, turn, work rnds 12-14 WS facing (see arrows). On md 13, work sc bet de of prev rnd and de in center st of ch-3. On rnd 14, close with sl st in first sc. Fasten off.


NAPKIN RING : Beg at center, ch 65 + 1 to turn. Row 1: Se in 2nd st from hook, (3 ch, sk 3 sts. sc in next st) twice, 1 ch, sk 3 sts, in next st work (1 dc, 1 ch) 4 times, sk 3 sts. 1 sc in next st, *(3 ch, sk 3 sts. I so in next st) 3 times, I ch, sk 3 sts, in next st work (1 de, 1 ch) 4 times, sk 3 sts, 1 se in next st, rep from* across beg ch, end with (3 ch, sk 3 sts, 1 sc in next s() twice; ch 1, turn. Row 2: Sc in sc, *3 ch, over each of 5 ch-1 work 3 dc and 3 ch, sk 1 ch lp, 1 sc in center st of next ch lp, rep from "twice more, ending last rop with se in se, Cut thread. Rows 3-4 ! Attach thread with al st on other side of beg ch (see white wedge) and work

same as rows 1 and 2 but do not cut thread. Rnd 5: Ch 3 (= first dc), work dc and ch all around following diagram; close with si st in top of ch-3. Rnd 6: Ch 1, work se in each of next 6 sts, *1 se, 1 p (= 3 ch, sl st in top of last sc), se in each of next 5 sts, rap from *around; close with sl st in first se, do not cut thread. For loop buttonhole, cont with sl st in each of next 4 se, ch 8, turn, work 1 sl st in closing sl st Fasten off.

EINISHING

Weave ribbon into placemal as shown on diagram. Sew button onto napkin ring opposite buttonhole, ite ribbon bow over beg ch on buttonhole end.







IRISH ROSE PICTURE

By Yoke Suzuki


SIZE *Omament measures 6 1/2* x 9 1/4*

MAIFRIALS: White crochet cotton no. 40, about 320 yds, Navy blue velvet, piece 9 3/4" x 11 3/4". Frame (optional) * 8" x 10" (in side opening). Stiff cardboard; piece 8" x 10" (or 8 1/2" x 10 1/2" if you use frame). Stee crochet hook US size 11. White sewing thread. Sewing needle. Tracing paper Penci


TO MAKE

FLOWER A. Beg at center, ch 6 and join with all st to form ring. Rnd 1. Ch 1, in ring work 10 se close with all stin first sc. Rnds 2-6. Work 10 sowing diagram 1. Rnd 7. Ch 1, *1 sc, 3 ch, 1 sc, 8 ch, sc in 4th ch st from hook and in each of next 4 sts, \$\frac{1}{2}\$, st in same st as last sc, rep from *around; close with all st in first sc. Rnd 8. Work s. sts in sc, ch sts and dc as per diagram 1. Rnd 9. Sl st in first ch 1p, ch 1;

work se all around as per diagram, work 2-se of bet petals; close with st st in first so. Cut inread. Rnd 10. Place 2 filer threads along top of sis on rnd 9. Attach thread with si st in so of petal (see white wedge), ch 1 Over filer threads work *17 so in petal, 4 so over filler thread only, rep from *around; close with si st in first so. Pasten off PLOWER B (make 8): Bog at center, form Ip with end of thread Rnd 1: Ch 3 (* first do), (3 ch, do in 1p 4 times, 3 ch; close with




(2) LEAF A (make 4)




begich 19 sts

LEAF B (make 4)



begich 17 sts

OUTLINE CORD



and 2

work so over 6 biler threads each 25 1/4" long



sl st in top of ch-3 Rnd 2:81 st in first ch st, ch 1, in each ch lp around work 1 sc, 1 hdc, 3 dc, 1 hdc 1 sc, case with sl st in first sc throughout Rnds 3-8. Work following diagram 1 On rnd 8, join flowers to each other and to Flower A as shown on diagram


LEAF A (make 4) Beg at center of leaf, ch 19 + 1 to turn. Rnd I. Sc 11 2nd st from hook, 2 ch, sk 2 sts. hdc m next st, cl ch, sk 1 st, dc m next st) twice, (ch 1, sk 1 st, tr m next st) twice. I ch, sk 1 st, tr m next st, i ch, sk 1 st, hdc m next st, 2 ch, sk 2 sts. cl sc, 1 ch and 1 sc) en next st, containing other s de of beg ch to correspond; close with sl st in ch st opposite first sc. Rnd 2 Work following diagram 2.


LEAF B (make 4) · Ch 17 + 1 to turn. Work 2 rnds following diagram 2.

FINISHING

Place sheet of thin paper over actual-size pattern, trace lines with pencil. Outline Cord. Cut 6 threads measuring 25 1/4" each for filler cord. Work as per diagram 3, measuring against actual-size pattern and froming over press cloth as you proceed.

Baste completed pieces to thin paper pattern, join Flowers B to outline cord with picoted ch as per diagrams 4 and 6. Place ornal ment on velvet, sew in piace with sup-statch. Remove thin paper and basting Mount vervet onto cardboard as shown on diagram 5. Frame if desired.





FIELD FLOWERS IN FRAME

By Amatia Del Din

10 m

SIZE 5 1/8" x 7 1/2"

MATERIALS - Pearl crochet cotton no. 8, small amount each n green, yellow, red, blue and white Steel crochet hook US size 9 Black feet, piece 7 5/8" x 10" Stiff cardboard, piece 5 1/8" x 7 1/2" Masking tape. Optional gilt frame measuring 4 3/4" x 7 1/8" (dimensions of inside edges). Tracing paper Pencil Pins Sewing rieecle and matching thread.

TO MAKE


Place tracing paper over actualsize pattern, trace at lines with pencil Leaving 1 1/4" edge all around, pin tracing paper to felt


POPPY: Use red Petal A. Ch. 2 and 30 in to form ring. Ch. 1, in ring work 1 sc, 1 hdc, 3 dc, 2 tr, 1 dtr (= yo 3x), 2 tr, 3 dc, 1 hdc, 1 sc Fasten oil Petal B. Ch. 6. Row 1: Sc in 2nd st from hook, 1 hdc, 1 dc, 1 hdc, 1 sc, ch. 2, turn Row 2. Hdc in sc, 2 hdc in hdc, 2 dc in each of next 7 sts (incl. working on other side of begich), 2 hdc in each of next 2-sts. Fasten oil Petal C: Ch. 7, in 2nd st from hook work 1 sc and 1 hdc, 2 dc in each of next 4 sts, 1 hdc and 1 sc in next, st, ch. 1, work 1 sc in each of 6 sts on other side of begich, close with sl st in Tch. Fasten off

CORNELOWER. Form ip with end of blue thread. Ch. I, in ip work (1 sc. 7 ch. 1 sc. in 2nd st from hook, 1 sc in next st, 4 ch. 0 times, close with sl st in first sc. Fasten off Pu I thread end to close ip opening. Calpx * Form ip with end of thread. Ch. 1, in ip work 3 sc. 1 hdc. 5 dc. 1 hdc. close with sl st in first sc. Fasten off Pu.) thread end to close opening. Daisy, whea. stalk leaves, stems - Work following thagrams

 $FT \land iSHI \land G$

After completing all pieces, position them on tracing paper as per pattern, sew to felt with slip-stach Carefully remove paper. Center cardboard on WS-of feat, fold raw edges over cardboard, tape in place. Frame if desired







SQUARE CENTERPIECE

By Darma Bregoli

SIZE About 28 1/2" square, and edging. Paging is about 2 1/4" wide


MATERIALS a White crochet cotton no. 10, about 1180 yds. Steel crochet hook US size 7, or SIZE FOR GAUGE


 $GAUGE: 4^n \text{ aq} = 18 \text{ meshes and about } 19 \text{ rows.}$

TO MAKE

SQUARE Beg at lower edge, ch 316 ± 5 to turn. Row F. De in 9th s. from hook, then work (2 ch sk 2 sts. de in next st) across = 105 ope 1 meshes, ch 5, turn. Row 3 Same as row 1, working de in de of prev row, work last de in 3rd st of Teh, ch 5, turn each row Row 3 · 52 om. I solid mesh = 2 de over ch-2, de in de, 52 om. Rows 4 · 5 Work following diagram, reverse design on other side of vertical midpoint Rows 54-105 Work rows 52 thru 1. After completing row 105, fasten off

EDGING. Attach thread with sist n 14th de from left edge of square (see winte wedge). Rnd 1:1 ch-2 she 1 = 2 dc, 2 ch and 2 dc in same st; first de 3 ch), 5 ch, sk 3 de, 1 ch-4 shell (= 2 dc, 4 ch and 2 dc) in next dc, 5 ch, *sk 3 dc, 1 ch 2 sh in next st, 5 ch, st, 3 dc, 2 dc n next de, 4 ch, in corner mesh work I ch-2 sheL, 4 ch, then, mserting hook in top of Tch or in top of edge de, work 2 de in top of first Tch after corner, 5 ch, (1 ch-2 shell, 5 ch, I ch 4 she l 5 ch) 12 times skipping 4 meshes bet shells except after 6th ch-4 shell, when you sk 3 m rep from* around, close with all st in top of ch-3 throughout, cont with slist in each of next 2 sts to beg next and in ch-2 of fest sh. Ruds 2-12 Work dc, ch, and (as of rnd 4) se following diagram On and 12, 3 ch, 1 sc in first st of ch, 3. After completing and 12, fasten off







border A

MOTES JOININGS AND BURDER A

VICTORIAN **PILLOW**

B) Sylvette Raisonnier

SIZE, Pillow, 20" square. Edging B is 4" wide

MATERIALS Ecru crochet ention no 3, preferably loosely twisted about 880 vds. Steel crochet hook US size 0 or SIZE FOR GAUGE Eeru fabrie, 54"-width, 5/8 yd. Pillow form, 20" x 20" Ecru sewing thread.

64UGE . Each motif = 6.1/2° square

TO|M|4KE

MOTIF (make 9) Beg at center, ch 10 and join to form ring Rnd 1: Work 24 de into ring. First dc = 3 ch throughout. Close mds t-5 with all st in top of ch-3. Rnds 2-3 : Work do and ch following diagram. Rnd 6 : Work (2-de cl. 6 de, 2-de cl. 4 ch. 2-de el, 6 de, 2-de el, 2 ch, 1 de, 4 ch and I do in next ch lp, 2 chi 4 times; close this and next ends with all st in top of first cl. Rnds 7-9: Cont as per diagram, working se in ch tps of md below Rnd 10. Ch 1, 'se in 4-de el, (5 ch, se in next ch (p) 4 times, 5 ch, se in 4-de cl. 5 ch, 2-de cl. (5 ch, 1 se) 4 times inserting hook as per diagram, 5 ch, 2-de cl, 5 ch, rep from faround; close with st st in first sc. Cut thread Joining : As of 2nd motif, join it to adjacent motif by working sl st in corresponding at the replace 3rd at of each ch-5 lp with si st), join all motifs in this manner.

BORDER A: Attach thread with st st in ch lp on md 10 of any mout, ch 1. Work (se in ch lp. 5 ch) all around joined mobils; close with sl st in first se. Fasien off.

EDGING B Ch 22 + 3 to tom Rose I : Do in 5th st from book, de in next st, 2 ch, sk 2 sts, 12 de, 2 ch, sk 2 sts, 3 dc; ch 3, turn sach row Rims 2-4? Cont work ing as shown on diagram, rows 18-43 form corner Rows 44-107 : Rep rows 2 thru 17 four times


> 2-dc cluster leaving last Ip of each at on hook, work 2 dc, yo and draw thru 3 ips on hook

4 dc cluster same as 2-de el, draw thru-5 lps on hook

work 2 do in same st

(= 64 rows), cont with *26 cornerrows, 64 straight-edge rows, repfrom * once more, end with 26 corner-rows and 47 straight-edge rows (= work rows 2 thru 17 twice. then rows 2 thru 16 once), Pasten off Sew narrow edges tog with sup-stitch. Sew Edging to Border with over-and-over stitches.

fabrio, cut out 3 pieces measuring 21 1/2" square (front, incl 3/4 seam allowance), 21 1/2" x 9" thack section B, incl 3/4" seam and 1 1/4" hem allowances) and 21 1/2" x 20 1/2" (back section A. incl 3/4" seam and 1 1/4" hem allowances). pillow cover following respective diagram After completion, slip in pillow form. Sew top to cover







FILET CROSSES AND BOWS

By Darma Bregoli

\$/ZE: 15 3/4" x 25 1/2" including edging. Edging is 2 3/4" wide

MATERIALS. White crochel cotton no. 10, up to 570 yds if you use finest quality. Steel crochet hook US size 9, or SIZE FOR GAUGE


GALGE: 4" sq = 17 meshes and 16 tows

70 M4KE

RECTANGLE Beg at lower wide edge, ch 130 + 5 to turn (= 3 ch for first dc, 2 ch to form first mesh). Row 1: De in 9th st from hook, then (2 ch, sk 2 sts, dc in next st) across - 43 open next st) across - 43 open next st. turn each row R m 2 Working dc of om mio dc of prev row, cont with 11 om, 1 so id mesh (= 2 dc over ch-2, dc in next dc), 19 om, 1 sm, 11 om. Rows 3 42: Work following diagram. Rows 43-83: Work rows 41-1. Fasten off.

EDGING: Attach thread with slist in 3rd st of Tch at corner of row 83 (see white wedge). Rnd 1. Om all around, ch 5 (instead of 2) at corners, close with slist in top of ch-3 throughout. Rnd 2. Acrosswide edge work. **3 sm, 2 cm 1 sm, 3 om, 3 sm, 3 om, **1 sm, rep from **10*** to vorrespond, neomer work 2 ch, 4 dc in ch lp and 2 ch, then cont across long edge with 3 sm, 2 om, 1 sm, 3 om, *3 sm. 1 om, 1 sm, 1 om. 3 sm. 3 om into next 2 meshes (= 2 ch, *1 dc in next m, 2 ch, rep from once more), 1 sm, 3 om in next

2 m, rep from *3 times more work 3 sm, 1 om, 1 sm, 2 om, 3 sm, 3 om, 1 sm, 2 om, 3 sm, 3 om, 1 sm, 2 om, 3 sm, work in corner as bef; complete 2nd half of edging to correspond, Rnds 3-9. Work following daignum. After completing rnd 9, fastien off. Rows 10-13: Complete each scallop separately in rows, attaching thread with si st as per white wedge and cuting thread as per black wedge. Follow diagram for dec (= at beg of row, sl s iccos req number of sts, at end of row leave req number of sts unworked)



intermediate





For your home

OPENWORK TABLECLOTH

By Darma Bresoli


SIZE: About \$8.1/2" in diameter MATERIALS r. Boru prochet cotton no. 5: about 2800 vds. Steel prochet holik U.S. size /

IO MAKE Begar center chiliand join to form ring. Rnd 1 ° Ch 1.

m ring work 12 sc., close with all st in first sc. Rnd 2: (20 ch, 2 sc) 6 lines, close with all sc in first ch sc. Rnd 2: 51 st to 10th sc of ch-20, work *1 shelf (= 2 dc, 2 ch and 2 dc in ch ap, first cc...

3 ch on this and next rnd), 9 ch, rep from *around; close this and next rnd with sliss in top of cli-3 Rna # Slist in each of rext 2 sts, work (1 sh in ch-2, 3 ch, 7 de in ch-9 lp, 3 ch) around. Rnd 5







Si st in each of next 2 sts, work* I sh (= 2 tr, 2 ch and 2 tr in ch lp, first tr = 4 ch throughout), 3 ch. I tr in each of next 7 dc, 3 ch, rep from * around; close tr inds with sl st in top of ch-4 thruout Rnd 6. Sl st in each of the next 2 sts. A.l shells from now on are tr shells. Work *sh over sh, 4 ch, 1 se in next tr, 4 ch, 1 se in next tr) twice, 4 ch, 1 se in ch tr 4 ch, sk I tr, se in next tr, 4 ch, rep from *around. Rnds 7-35: Work following diagram I. On rnds 21 and 23 thru 33, cluster 2 first and 2 last tr of each triangle

(see symbol explanation); close these rinds with sl st in top of first Work following to be completing rind

in top of first ci (instead of 6 ch).
C ose and 86 with si st in top of closing de Rad 87 Si st in each

of next 2 cb sis, work *1 sc in ch lp, 1 p (= 3 ch, sl st in first st of ch-3), 1 sc in last ch lp, 6 ch, in each of next 11 ch-2 lps work 1 sc, 1 p and 1 sc, 6 ch, rep from *ail around, close with sl st in first sc. Fasten off.







CHEVRON RUNNER

By Yoko Suzuki

SIZE: 13 1/2" x 35 3/4".


MATERIALS. White erochet cotton no. 30, about 550 yds (or 50 g). Steel crochet hook US size II or SIZE FOR GAUGE

GAUGE - 4* sq = 20 meshes and 20 rows

TO MAKE

FIRST HALF / Ch 214+3 to turn. Row 1. Do in 5th st from hook and in each of next 7 sts (= 9 dc or 3 solid meshes), (2 ch, sk 2 sts, dc in next st) 3 times (= 3 open meshes), (5 ch, sk 5 sts, dc in next st) 5 times (- 5 double om), 2 om, (1 sm, 1 em) twice, 5 double om 2 om, (1 sm, 1 om) twice, 1 om, 5 double om, (I om, I sm) twice, 2 om, 5 double om, 3 om, 3 sm, ch 5 to turn for all om rows. Row 2. Sk 2 sts, do m next st, 3 sm (work 2 dc over each ch 2 lp, de in next de), 2 om, **5 lacet sts (*3 ch. sc in center st of ch-5 ap, 3 ch, do in next do, rep from* 4 times more). 2 om 3 sm, 1 om, rep from **once more, then complete row to correspond Rows 3-86. Work following diagram. Ch 3 to turn for sm rows. As of row 51, dec as follows. Work 3 dc in last ch lp, then 4-dc cluster (leaving last ip of each st on hook, work do in each of next 4 sts. yo and draw thru 5 lps on hook 2 by 2). After completing row 86, fasten off SECOND HALF. Attach thread with all at opposite end of beg ch and work rows 2 thru 86 to correspond to first half Fasten









CHILD FEEDING ANIMALS

Original design by Darma Bregoli

SIZE. Wall hanging measures 17 1/2" x 26 1/4" including edging. Edging is about 3/4" wide

MATERIALS. White erochet cotton no. 10, about 750 yds. Steel crochet hook US size 7, or SIZE FOR GAUGE

GAUGE 4" sq 16 meshes and 18 rows


TO MAKE


SCENE. Beg at lower edge, ch 295 + 5 to turn (= 3 ch for first dc, 2 ch for first open mesh) Row I * De in 9th st from hook, then work (2 ch, sk 2 sts, dc in next st) across - 98 om, ch 5, turn each row Row 2. De in next to last dc of prev row, 1 so id mesh (= 2 dc over ch-2, dc in next dc), (6 om, 2 sm) I] times, end with 6 om, 1 sm, 2 ch, dc in 3rd st of 1 ch. Rows 374 : Work following diagram. After completing row 74, fasten off

EDGING. Attach thread with slist in 6th mesh from left side of upper edge (see white wedge on detail diagram). Rnd 1: Work 2 de flist 1. [2]. 1 1 1 2 c. h neach mesh around, in each corner mesh work 3 de, 2 ch and 3 de e ose with slist in top of ch-3

Rnd 2: SI st in each of next 2 sts, then work as on rnd 1 but make do over ch-1; close as on rnd 1 Rnd 3 SI st in next do Ch 1, hen work *I sc. over ch-1; 1 she!

= 2 do, 1 p w th 3 ch and so in inststofch-3,2do), overnextch-1 rep from* around; in cone shell = 3 do, 1 p and 3 do; cos, with s. st in first so Fasten off











DIAMOND MAT


By Darma Bregoli

SIZE 9" x 15 1/2"

MATERIALS: White crochet cotton no. 20, about 180 yds. Steel crochet book US size 9, or SIZE LOR GAUGE

to the GE of sign 19 meshes and 22 rows

10 M tKE. Beg at one corner of diamond, ch 31 + 2 to turn Row 1. De in 4th st from book and in each st across - 31 dc. ch 6, turn (= 1 solid meth inc at beg of row). Row 2: De in 4th st from hook and in each stacross I tr in top of last de, 2 tr m first cross strand of last tr (= 1 sm me at end of row); ch fi, turn Row 3:7 dc, (3 ch, sk 2 sts, sc in next st. 3 ch. sk 2 sts. dc in next st), 5 times, end with 4 dc. 1 sm inc: ch 9, turn (= 2 sm inc at beg of row). Reses 4-90. Work following diagram. As of row 28, make dec to correspond to first half of matus follows: at beg of row, stat across req number of sts, at end of mwleave reg number of sts unworked. After completing rew 50, fister, off.







ROMANTIC PILLOWTOP

By Sylvette Raisonnier

\$7ZF 13,374" Lameler


MATERIALS. British crochet cotton no. 5, about 180 yds in one color of your choice or about 90 yds in salmon pink, about 45 yds each in antique rose and in chestnut. Sieci crochet hook US size 1 Finished pillow 13" in diameter covered in coordinated-color fabric.

TO MAKE. Heg at benier with salmon pink, ch ID and join to form ring. Rad I . In ring work 20 de first dc = 3 ch throughout), close de mds with sl st in top of ch-3 Rnd 2. Work (dc in each of next 2 dc, 1 ch) 10 times. Rad 3 SI st in each of next 2 sts. in each ch-1 work I shell (- 2 dc 5 ch and 2 de) Rnd 4 · Ch 1, work [1 so bet 2 sh, 4 do in next ch lp. I ch, 4 dc in last ch ip) around close with sl st in first sc, cont with slist in each of next 5 sts. to beg next and in center of first petal Rnds 3-20 Work following diagram. If you are working in one color, do not cut thread as per



black wedge, instead work states at indicated by white wedge. If you change colors, attach new color with all states per white wedge. On mids 6, 10 and 16 work *1 de in se, 1 ch, 13 times, rep from *around. On rid 7 sk 1 mesh bet shells = 20 shells On mids 11 and 17 work *3 de in ch-1, (2 de in next ch-1) 3 times, rep from *around On rids 13 and 19 sk 2 meshes bet each 2 shells [= 30 sh on rid 13 and 45 sh on mid 19). Out mid 20, preots = 3 ch and se in top of last de.

FINISHING: Sew completed piece to pillow along top of rnd 18 with slip-strich.





IRISH-STYLE DOILY

By Yoko Suzuki

SVZE : 10 1/8" in diameter

MATERIALS: White crochet cotton no. 30, about 220 vds. Steel crochet hook US size 11

TO MAKE


CENTER FLOWER 'Beg with petals (make 8). *Ch 22, work so in 2nd st from hook and in each st across - 21 se; ch 4, turn, sk 1 st, work de in next st, (2 ch, sk 2 sts, de in next st) 6 times, ch 1, turn, work 21 sc (1 in each de, 2-m each ch lp), rep from *7 times more, close with slist in first st of first pelal. Cut thread Attach thread with s. st in 10th st on right side of any petal (see white wedge) *Work so in each of 12 sts. 5 dc over stem of next dc (= tip of petal), so in each of next 12 sts. 5 ch. rep from *7 times more beg with 10th st of next petal, close with si st in first sc. Cut thread Attach thread with sl st bet lower edges of any two petals (see white wedge) for heart of flower. First dc = 3 ch Work (5-dc pc bet 2 petals, 2 ch) 8 times, close with sl st in first pc, ch 1, work 2 sc bet each pc, close with silst in first sc Fasten off

LEAF BORDER. Beg with leaves (make 24). Row 1: Ch 13, work so m 2nd st from hook and m each st across - 12 sc. ch I, turn. Row 2: Inserting hook in back strand of

sts below for rib effect, work 12 sc, 5 sc in end ch on row 1, 9 sc on other side of beg ch; en 1, turn each row Rows 3-7: Work following detail diagram, on rows 4 and 6 work sc in back strand of sts on row below leave 3 sts at end of each row unworked, work 5 sc into 1 st at one end of leaf on each row Joining as of 2nd leaf. After completing row 7, ch 3 and Join with s1 st in corresponding st of adjacent leaf. Cut thread, Be sure to have ribbed sc on RS of work, Join all leaves in this manner.

JOINING RING: To join flower to leaf border work as follows. Rnd 5 At ach thread with so st in center de of any petal tip (see white wedge), ch 1, Work (se in center de, 25 ch) around, close all sc mids with all st in first sc. Rnd 6: Ch 1, (so m sc, 29 sc m ch lp) around. Rnd 7: (1 dc, 1 ch, sk 1 st) 120 times (first dc = 3 ch . close with sl st in top of ch-1 Rnd 8. Work (se in de, se over ch-1) around - 240 sc. Rnds 9-10 Si st in each of next 3 sts to beg md 9 in 4th st on row below, work *8 sc, 1 p (= 5 ch, sl st in top of last sc), 2 sc, 15 cn, turn, work sl st in 2nd sc after p, turn, work 9 se in ch-15 lp, join with sl st in center so of leaf, cont with 9 sc m same ch-15 lp, rep from* around Faster off

EDGING: Attach thread with slist in top of any leaf (see white wedge). Rmds II 12: Work tolkowing diagram. Ch 1 to begeach so mo, close with slist in first so I tolen off









ROBUST RUNNER

 $SIZE: 12 1/2" \times 21 1/2"$ with edging

FDG/NG: Attach thread with slist as shown on diagram Rnd I. So all around (2 so in each chilp or edge do), close with slist in first so. Rnd 2. Work do and chias per

diagram first dc = 3 ch; close rnds 2-12 with s. st in top of ch-3 Rnd 3. Beg mouts 1 in 4 cm at each corner, 17 across each long side : 14 in 4 cm and 3 in 5 pm 9 across each short side 3 m 4 pm and 6 in 5 pm. Rnds 4-13. Work following diagram On rind 13, p 3 ch and so in first st of ch-3, close same as rind 1. Fasten off.







ROSY OUTLOOK

3 Sylvette Raisonnier

 \sqrt{ZE} 22 1/2" x 36 3/4" including grags.

"IATERIALS For both cur ains, winte crochet cotton no. 4 (softmitting twist), about 1930 vds. Stael crochet hook US size 1 or SIZE FOR GAUGE


46 GE *4" sq = 14 meshes and rows.


TO MAKE


CURTAIN. Beg at lower edge, ch 169 + 5 to turn, Row 1. Work in 9th st from book (= first on mesh) then (2 ch, sk 2 sts, in flext st) across - 56 om, th 5, turn each row. Row 2. Same as row 1. Row 3: 25 om, 3 solid meshes (= *2 dc in ch-2 p, dc in flext dc, rep from *(wice more), 28 om, Rows 4-32. Work om and 5m following diagram, Rows 33-117: Rep rows 5 thru 31 once, end with 2 om rows. Pasten 3

EDGING A. Motif (make 46) . Beg at center, ch 8 and 30m to form ring. Rnd I - In ring work (I do 3 ch) 6 times: first do = 3 ch, close with slist in top of ch-3 Rud 2 . SI st in next st, ch 1, in each of lp work 5 sc, 1 ch; close with all at in first se thruout Rnd 3 . Turn, in ch-1 work I ch, turn, work so and 3 ch all around as per diagram - 12 ch lps. Rnd 4 SI st in next ch st. in each ch lp work 2 sc, 3 ch and 2 sc all around. As of 2nd mouf, join motifs to each other on and 4. On 3 chips, replace center chiwith sl st worked into corresponding st of adjacent motel, Join 46 motels in this manner. After al. motifs are joined, work 3 rows in sc, do and chacross one side of motifs as shown on diagram. Place completed edging on curtain RS tog. join edges with sc.

EDGANG B. Across top of curtain tincl narrow edges of edging A), work rows A, hru D (bolic lace on diagram). First tron row B = 4 ch Complete 2nd cartain to correspond. Reverse design if you wish.










OUTGOING ROSES

SIZES 30 1/2" in diameter

WATERIALS. Ecru crochet cotton no. 20, about 1200 yds. Steel crochet hook US size 9.

TO MAKE. Beg at center, ch 15 and join to form ring. Rnd 1: In ring work 30 dc, ch 3 for first de and close with sl st in top of ch-3 throughout Rnd 2. De in each de around. Rnd 3. (dc in dc, 1 ch) 30 times. Ruds 4-12. Work de and ch sts as per diagram Rnd 13. (de in dc, 9 ch, 3 de m next de, 9 ch) 15 times Rnds 14-44 Work following diagram Rnds 45-53 : Bei each rose motif work 2 ch, 15 dtr in ch-15 lp and 2 ch on rnd 45 to beg. fan motif. on md 46 work. 2 ch, se in each utr and 2 ch; cont shaping fan with dir and ch as shown on diagram. Rnd \$4 . \$1 st in each of next 3 dc. *sc in center de of grp (1 ch = first sc), 8 ch, sc in next of Ip 5 ch, 3-dtr cluster in neer ch In holding last lp of each st on hook, work 3 dir mich lp. yo and draw thru 4 lps on hook), (6 ch, sl st in 4th st of ch-6, 3 ch, 6-dtr cluster working 3 ctr in last ch lp and 3 dtr in next ch lp) 7 times, cont with picoted ch lp. 3-dtr el in aisi ch lp, 5 ch, se in center of next ch lp, 8 ch, rep from* around, close with si st in ch-1. Fasten off.







LACE AND LINEN MINI-MAT

By Darma Bregoti

SIZE 9 1/2" in d ameter including lace. Lace is 1 3/8" wide.


MATERIALS. White crochet cotton no. 20, about 135 yds. Steel crochet nook US size 9. Coarse haen, piece 7° in diameter ocher. Embroidery floss, small amount cach in red, orange yellow, dark green and light green. Tracing paper, Pencil. Dressmaker's carbon paper. Embro dery needle


TO MAKE


EMBROIDERED FLOWER Trace actual-size pattern on thin
paper with pencil. Transfer to
center of linen piece by outlining
pattern with pencil over carbon
paper. Embroider flower as
shown on pattern diagram.

LACEBORDER Poldunder 1/4 of raw edge of timen piece all around Rna 1: RS fac ng, eh 1, work so all around over folded edge - 396 sc. close with sl st n

first sc. Rnd 2. Ch 1 beg in lass st st. work (1 sc in sc. 4 ch sk 3 st. 1 sc in next sc. sk 4 sc. 4 ch) at around; last ch-4 lp on this and next 3 inds = 2 ch and 1 had in first sc. Rnds 3-7: Work in sc. dc ch and dc clusters following diagram. On rnd 7, first dc = 3 ch. close with st st in top of ch-3 Rnd 8. St st in first st of first ch-4 p, ch 1, work 5 sc in each ch-4 p around; close with st st in first sc. Fasien off.

















ROSES AND SNOW-FLAKES BEDSPREAD

SIZE About 82" wide x 91" long, incl border and edgings Border is ca. 1 1/4" wide. Scallop edging is about 2 1/4" wide.

MATERIALS. White crochet cotton no 50, about 16500 yds. Steel crochet hook US size 13 or SIZF FOR GAL Gh

GAUGE · Each motif A = 3 3/8" in diameter

NOTE . Complete 598 motifs A. joining them to each other on rnd II along two 5-st picots (= replace 3rd st of ch-5 with slist worked in corresponding at of adjacent mouf). Join 23 motifs (= width) by 26 motifs (= sength) in this manner To fill in spaces bet motifs A, work 550 motifs B, joining them with si st on md 9 to 4 adjacent motifs A (see diagram) Complete 90 half-mouts B, joining them along edges of bedspread to 2 adjoining motifs A as shown on diagram. Complete border for top short side of bedspread. complete scalion edging for other 3 sides. Border and edging are worked separately m rows. Sew edges of border and edging log at top with shp-statch. Join border and edging to completed becspread following diagram (see joining row).

TO MAKE MOTIF A . Beg at center, ch 10 and join to form ring. Rnd 1 In ring work 20 de (first de = 3 ch throughout); close with sl si in top of ch-3 Rnd 2 Work *8 ch. so st in 4th st of ch-8, (5 ch. sl st in same st as last al st) twice, 3 ch, sk 1 de, se in next de, rer from *9 times more; replace last so with sl st and close in joining s. st. Rnd 3. Sl st in each of next 6 sts to beg rnd in center of 2nd p. Work *sc in p. 10 ch, rep from* around, close with slist in first sc Rnd 4 **Se in sc. I se in next ch tp, *1 p (= 3 ch, sI st in First st of ch-3), 3 se in same ch lp, rep from *twice more, 1 p, rep from ** around, close as on rnd 3 Rnd 5 . Work de and en follow ng dragram, close as on md 1 Rnd 6 Ch 1, work (1 so in de, 3 se in next ch lp) around, close this and next 3 rnds as on rnd 3. Rnd 7: Ch I. turn, work a se in back strand of each st around Rnd 8 Same as rnd 7. Rnd 9 . Ch 1, inserting hook in both strands of prev row work (3 sc, 15 ch, sk 8 sts, 3 sc, 7 ch, ak 4 sts) around. Rnd 10.

Si st in each of next 4 sts to bea



md in 2nd st of first ch ip. Work do and ch sts in ch lps as per diagram; close as on rid 1 Rnd 11. Ch 1. "It so bet 2 do one 3-st p)


3 times, 1 so in next eh 1p, one 5-st p, 1 so in last ch 1p, (one 3-st p, 1 so bet next 2 de) 3 times, one 3-st p, 1 so to first de of next 5-de grp, 4 ch, sk 3 de, 1 so in next 5-de grp, 4 ch, sk 3 de, 1 so in next around, close with st st in first so. Fasten off


FILL-IN MOTIF B (see all 4 detail diagrams), Beg at center, ch 6 and join to form ring. Rnd 1: In ring work (1 de, 4 ch) 4 times, close with slist in top of ch-3 Rnd 2: In each chi.p work 1 sc, 1 hdc, 5 de, 1 hdc and 1 sc, close all even numbered rinds with slist in joining slist. Rnd 3. Working in back of prev rind and inserting hook in back strand of sits on rind 1, work (1 sc, 5 ch) around.

close all odd numbered rads with all stim first so. Rnd 4 In each child pwork i se, i hde, 7 de, I hde and I se Rnds 5 and I Working in back of rad below, insert hook mase two rads below for so and 5 and 8 On rad 6, petals—I se, i hde, I de, I hde, I se, on rad 8 I se, I hde, I de, I hde, I se, on rad 8 I se, I hde, I de, I hde, I se, on rad 8 I se, I hde, I de, I hde, I se, on rad 8 I se, I hde, I de, I se, on rad 8 I se, I hde, I se, on rad 8 I se, I hde, I de, I se, on rad 8 I se, I hde, I de, I se, on rad 8 I se, I hde, I se, on rad 8 I se, I hde, I se, I se, I hde, I se, I hde,

FILL-IN HALF-MOTIF B : See detail diagrams.

BORDER AND SCALLOP EDGING. See respective diagrams





RUNNER WITH LINEN **SQUARES**


By Damia Bregoli

SIZE: 9" x 15 1/2"

MATERIALS : White crochet cotton no 20, about 180 vds. Steel croche hook US size 9. Ecru men · 5 squares measuring 2" on each side


TO MAKE Propare squares, On each square, fold under 1/8" along each edge baste hem. Divide each edge in 5 equal parts, on first md work 5 sc per part. Rnd 1 : Working over hom, altach thread with slist in any corner, chil, work **21 se. 2 ch. .um. I slist in 5th st from beg, turn, in ch-12 work 3 sc. *1 p (= 3 ch, sl st in first st of ch-3) 2 sc, rep from *3 times more, p. 3 sc, cont with 4 se over hem, 1 ch (= corner),

rep from 3 times more; close with sl st in first sc. Rnd 2 *7 ch, (sk l p, sc in next p, 7 ch twice, si stover childricomer, rep from *3 Lines more, Rnd 3 - Work se and p following diagram. As of 2nd mouf, join mouls to each other with sist into corresponding



picots of adjacent motif (see diagram) At corners, join 4 p with corresp p, i ch (see arrows) Join 1 st st (see circular arrow). To on 3 x 5 mot fs in this manner

other proots work I ch, I st st in









RAINBOW BEDSPREAD

SIZE . 53" wide and 96 1/4" long with edging, Edging is 3 1/4" wide.

MATERIALS: Sport or medium weight yarn leftovers, about 2 kg or 71 1/2 oz m all colors Aluminum crochet book size 2/C, or SIZE FOR GAUGE, Tapestry needle

GAUGE: One square measuring 7.3/4" on each side = 35 dc and 20 rows

NOTE Bedspread consists of 72 squares, 6 x 12.

TO MAKE

SOUARE: W th any color, ch 35 p us 3 to turn Row 1 : De m 5th st from book and in each stacross - 35 de, ch 3, turn each row Rows 2-20 . Work in dc. 2 rows to one color stripe, alternate light and dark colors making 10 stripes m all. To conceal ends of yarn, fold each end back across top of last row, work next do row over yarn end. Cut and attach yarn as needed

TO ASSEMBLE


As per Motif Arrangement diagram, sew squares together, alternating horizontal and vertical stripes.


work (3-dc cl, 3 ch) twice then one 3-de cl and 1 ch sk next 3 sc on square, so in each of next 3 sc. rep from facross, end with sc n each of last 2 sc Row 3 : *Sc n sc (= center sc of 3-sc grp), ch 1, (so in next ch lp, 3 ch) 13 times, se in next ch lp, 1 ch, rep from* across, but as of 2nd scallop, jo n 3 ch lps of 2nd scallop to corre sponding chips of first scallop thus ch 1, sl st in 2nd ch st of adjacent ch lp, ch l (see diagram). Join all scal ops in this manner


EDGING

With dark yarn work across 2 long. sides and I short side as follows. Row 1. Attach yarn in square with slist, ch 1, *5 sc into square, 14 ch. st st in 5th st from hook so in each of next 9 ch sis, sk next st on square, so in each of next 4 square sts, rep from *across (see diagram). ch 1, turn each row. Row 2 : Se in each of next 2 sc, *ch 1, in next 9 se work (3-de cluster, 3 ch) 3 times, in next ch lp work () de-3 ch) 9 times, in next 9 ch sts

SQUARE











ONE-OF-A-KIND **AFGHAN**

See photo p. 47

By Elizabeth Hiddleson

SIZE About 53 x 66 1/2" without rnges.

MATERIALS: Sport weight yarn, v50 g or 19 3/4 oz each in blue (A) and orange (B). Aluminum crochet hook size 5/F, or SIZE FOR GAUGE

 $a_1 + CGE$, $A^n sq = 14 dc$ and Trows.

VITE - Afghan is made in one piece Start first block row with A. having each de block followed by filet block. Work 2nd block-row with B but crisscross block patterns (see Detail diagram), Continue alternating in this manner for 19 b.ock-rows. Cut and attach varn as needed.

TO MAKE

BLOCK-ROW I: With A, ch 223 Row 1: Work do in 5th st from hook and in each of next 11 sts, *10 ch, sk next 10 ch sts. [1 dc. I ch, sk next ch st) 6 times, de in next st, 10 ch, sk 10 ch sts. 13 dc. rep from* across ending with filet block ch 4 to turn on filet pat. Rose 2. Work flet over filet. Och sts over chists and de over de th 3 o turn on de pat Rows 3-6 : Same as rows 1-2. Cut A

BLOCK ROW 2: Attach B. Rows 7.2 · Work filet blocks over do blocks, ch 10, work de blocks over filet blocks. Cut B.

BLOCK-ROWS 3 18. Rep rows 1 thru 12


BLOCK-ROW 19 Rows 1-5 Same as block-row | After completing row 5, pick ap ladder thus Twist fire on 10 of begin to form lp, insert hook m lp, pick up next ch-10 and draw thru lp; cont in this manner to row 5 of block row 19 = row 113 of alghan) as shown on Detail diagram. Pick up. remaining 8 adders in same manner; make sure begich lps are twisted in same direction. Row 6: (= row 114); Same as block-row 1,

but over each picked up lp work I ch. I se into ladder Ip, I ch.

FINISHING

With B, work I row so across each long side of algban. Fringes (make 22) For each ft age, cut to strands 9 3/4" long using B Fold a rands in ball, knot one fringe into each adder lp and at each end on both short sides.

DETAIL DIAGRAM



COLLECT

MAGIC CROCHET **PUBLICATIONS**

while they are in stock

NOTE:

If you don't want to clip this page, use a separate sheet of paper.

P.O. BOX 850 - PATTERSON, N. Y. 12563

Check the ones you want

THOUSE GITTER	ODDED A	DE LO DISCOTE TOOT D	CTCT DECYCLET
SPECIAL OFFER	#19	# 27 # 3 7	special # 9
	# 18	# 26 # 34	
	#17	# 25 # 33	specia. = 6
(Each 4.00 \$)	<i>#</i> 16 _	# 24 # 30	special #
	# .4	# 23# 29	special # 4
	#13	# 20# 28	

ORDER ANY 10 BACK ISSUES FOR \$ 35.00 (\$ 40.00 VALUE) (All above prices include postage and handling)

Name Address Zip State

City (Check or money orders only Ail payments due in U.S currency or equivalent) 51

TODDLER'S PULL AND KNICKERS

VIZE anstructions are for 12 months. Changes for 13 months and 2 years are in purentheses, when only one figure is given it applies to all 3 sizes.

MATERIALS Fingering weight yarn, 90 g or 1 3/4 oz balls 12(33) balls 22(33) balls 2

GAUGE 4" sq = 19 sts and 2 rows in sq. 20 SAVE TIME. TAKE TIME TO CLECK GAUGE

STITCHES FOR BILL 195E Classe has, it - see CROCHET BASICS


TO MAKE PULL Will CC 11 56 1615 BACK has + 1 to 'um Rom , Sc in 2nd at from blook and in each si icross chi tum for si rows Yes rose. Work in so for 74" Yest roses. Change o high ab." turn each row Work even unto proce measuresh 74 7172 8 740 from beg. Shape Armhales S at across his a sec leave as 3 sis unworked (dec 3 st. r each edget New rules. Work even and. piece measures 9 74 (10 1/2 11 3/4 from beg. Shape Neck Lea e at «12 la center six un worked, cont on one ade only At nock edge and on every raw bind off fists wice. When piece measures 0.17+ 1 = 2.3745° from beg bind off em (0.11- 2) sis at Shander Complete and side to correspond but reverse shaping.


PROVIEWORK same as Back until piece nteasures 5 1/2 (6 1 4 7 1/2) from beg. V-insert. Role / Work 27 29 31 sts of CC, make last ve in MC, work next 2 hds in MC, cont in hide with CC changing colors, cross strands to avoid boles. Raw 2, 26 (23.30), hide in CC, 4 hdc in MC, 26 (28-30) hdc In CC. Next rows. Coul to add I lide in MC at each and of V on every row. At the same time when piece recesures 6 1/4 (7 1/2 # 1/4)" from beg, Shape Armhouss same as for Back and Divide Work In half for placket opening, Conto work on one sale only When piece measures 9 1/4 (10 1/2-At neck edge and on every row bind off 4 six 3 times and 3 (4) 5) sts once. When piece measures same as Back bind of tem 10 (11-17) sts for Stander Complete 2nd side to Annespond but reverse than ng.

SUFFIES Begas aweredge with CC of 26 (28-32 + 1 to sum. Row I So in 2nd st from book and meach stacross of to tam for so rows. Set mass So for 3/4" New mass 10 meach stacross of to tam for so rows. Set mass 10 meach stacross of to tam for so rows are received to take 10 meach so rows 10 meach s

CVLLAR Sew shoutder seams With MC, pick up 56 (60-64) as along neck edges and work for 1 /2" in so. Fasten off Plankers and Collar Edging. Heg at right end of right placket opening, with MC work 1 row sc herms right opening, collar (inc. 1 st at each corner) and left placket opening. Cont with 3 more rows so but on 2nd row work 3 buttonholes (= ch. 2, sk. 2 sks) on left placket Place the first 4 sts from 1 lower edge, the next two 5 sts apart.

FTV.SHING Sow side seams. Sow side ve seams leaving about 3/8" open at underarm. Sew side ves in place. Sew on buttons opposite buttonisoes.







70 MAKE RAKKERS
RIGHTLEG Slep at lower edge of reg, with MC the 60 (64-66) + 2 to turn. Row 3 - Elde in 3rd is from book and in each st across, ch 2, turn each now Next mex. Work even until piece measures 4 3/4 + 1-24 - 1/3 - from heg Put aside LEFF LEO. Same as Right Leg.

ROTCH 4ND HIP SECTION LEAVING 28 to 14 to 40 to 15 to 16 to 17 to

FINISHING

Saw leg and crotch ceams Saw scam in concer of back. Fold trow to WS, sew to WS with diparticle, insert obsite before sewing closed. Calls. Row 1. With MC ch. 6, then, beg at cutter aide of right ke mick up 18. 11.44 (st. along lower edge of leg, ch. 10. 44 (57-61) sts. Row 2. Sc. in 2nd stfrom hook and in each stucross ch. 1. aim each row. Rows 3-8. Works even in se Pasters off. Bog in outer sido of left leg, work left culf in correspond. Slip 2 rings over each 6-st strap, arm stan to WS ol culf, sew in place with supstitute.











TODDLER'S STRIPED SWEATER

VIAF Instructions are for 12 months. Changes for 13 months and 2 years are in parentheses When unly one figure is given, cappage to all 1 sizes.

MaTFRIALS Haby or fingering weight york, Silg or 1374 oz halis

I in paster mink (Pt. 1 in paste) yet low (Y) and 1 (22) in gray blue (81 Aliamaum crochet hooks size J/D and size 5/F OR SIZE FOR GAL GE Zipper gray 47 long. Sewing needle and threas 6.48/GE + 47 sq = 20 sta and 28 lows bis with larger hook. TO SANE TIME TIME TIME TIME TIME

CLECK GALGE
NOTE—For stripes work in ac
"7 nws Y, 2 nws P 2 nws B rep
tions "as needed. To change
color, complete tiss 2 lps on hook
with new color Carry drepped

color along edge of piece

707 MAKE RACA Regul lower edge with B and smaller book ch 48 (52-56) Road. Se in 3rd of from hook and n each st across 46 (50-54) sts ch I to turn for schows. Row June near oney Work even in school 4 from beg. Change to larger book and stripe pat, cont to work in sebut on time now of surpr pat at; evenly 4 sts - 50 (4 58) sis When piece measures 6 1/4 (7-8 /4 abones from beg. Shape Annholes At each edge and on every row band off 2 sis (wide - +2 (+6-50) sis remain. Set piece uside

TRUNT Work same as for Back Sol aside

SLEEVES Begint out, with Bland smale enhanced to 1813-216). Row I See in 3rd st. from brown and to cash stractors - 28, 30-34) sits Rom. and in cash stractors - 28, 30-34) sits Rom. and in choice Work even in sefert. A from tog. Change to larger hook and stripe patt, cont to work in serbut on first row line eventy 4 stars 37, 134-30, cts. At each edge and every 8 rows line at 4 times - 40, 412-46, sts. When piece measities in 3/4, 17, 172-8, 74), inches from they Maphy Cap. At sach edge and on every row, bind off 2 list twice 32 (54-36, sts. terman). Set usade

RAGIAN YORE . RS facing leave first 21 (23-25) sta of Bock unworked. Keeping to pat, attach yarn with si stan next stand work thus Row / 19-21-21)sc. dec | sc (- pull up lp m cach of 2 sts. yo and draw thru 3 sts on hook a comacross one Sieeve but dec 1 to at beg and at and of sizeve sis, work as visa Front dec 1 sout begand at end of row contactors 2nd Sleeve dec so at heal and at end of row work neross Back, decil se at right edge of row and cont across next 19 (21 23) 515 (= dec of 8 sts in all s. ch I turn each row Rine 1 Sc n each it across. Next roses. Rep. Adec over declas in row and sin cachise as a row 219 11 17st mes more Account to that - 60 (64-72) sty New change to smotier hook and B for Neckhand, work 7 rows in so but on row 4 deceventy 12 sts 48 (52-60) sts. Fasten off

FIAISIMO Sewarmhole seams, Sew underurn and side seams, taking care to match suppes. Insert supper in back opening. Weave in loose ends.

TODDLER'S KNICKERS


S/ZE Instructions are for 12 months. Changes for 18 months and 2 years are meantheses.

MATER 915 Spon weight yarn, 50 g or 374 or halb 313-4 or gray blue. Allmaters crocket hook 15 size 4 F OR STZF FOR GALGE Plateau in proceso for waist hour blusting or metal rings 374 to diameter.

GATIGE 4" sq = 19 hdc and 16 rows. TO SAVE TIME. TAKE ITME OCHECK TALGE

R MAKE Beg at lower edge of one og et 57 obed) 7 obed 1 work he in 4th st from hook and at each 31 each 55 58-61 sec. Of 7 turn each trave Rose 3 each 14 st 72-5, 40 each force measures 41 4 s 72-5, 40 each force measures 41 4 s 72-5, 40 each force measures 41 4 s 72-5, 40 each force measures to 41 each force work even earness both tego in 10c 1.0 (116-122) as when piece measures 1 1/2 2 1/4 14) ins from beg, change to se, On Fosis row on se declevely 21 sts 88 (94-100) sts. Work even, 6 rows at se than 1 row on the tasten of the stem of th

FINISHING Sew leg seams and back seam. At waist, burn tr row to WS and hem, leaving opening to stip in clustic RIGHT LEC BAND Raw / Ch 6 then beg opposite seam, contin se across 35 (18-47) sty of univer edge of legend with 1 ch Ron ? Sun ?nasi from book and in each scale ross 4 (54 58) sts ich 1 -urn euch row Row 3-6 Workeven his Row " Optional work a crub st - su basworked from left to right en off Complete LEFT LEG BAND in same manner 5hp 2 rings over shorter free end of band new and www of band. Purlonger and through rings to close Rup for right leg band





25

CHILD'S HOODED JACKET

siZE Instructions are for 12 months. Changes for 18 months and 2 years are in garen bases when only one figure is given, 1 appures to all 1 sizes.

ULITERIALS Sport weight wood varu. 50 g or 1 3/4 or balls 17/8) in red (MC Jand Litsychow

A) Aluminum cruche hook tize 4/H or SIZE FOR GAUGE Three buttons, each 3/4" long

GAUGE 4° sq = 14 str and 1)
rows in high TO SAVE TIME
TAKE TIME TO CHECK
GALOF

STITCHES FOL WILL USE Ch. so. Inde see CROCHET BA 5 CS. Crab's: Work so from left to right instead of from right to reft.

TO MAKE


BUD) Heg at lower edge of back and fronts, with MC ch 80, 84 88) + 1 to turn Kow i. Hede in his st from book and in each st gents ch 2 turn each one Rous 2-3 Hde, but at each edge frie 1 st - 84 (88-92) sts. Vest trees Work even until piece measures 6 1/4 (7 1/2-8 1/4)" from heg. divide work R GHT FRONT Work seross first [9 (20-21) sta. at arm edge dec l'st once Vext Work even across 18 1 9-20) sts until piece measures 9 3/4 (11-12 1/4)" from beg. Shape Neck At neck edge and on every row bind off 4 sis once, 2 sis once, L st twice 10 (11 12) sts. When piece measures 11 1/4 (12 1/2-13 V4)" from beg, band off for Shoulder LEFT FRONT Same as Right Front but reverse shapings, BACK Work across 38 (40-42) center sts, leaving 4 sts on each side (= on Body) unworked. On 2nd row dec , st at each edge - 36 (38-40) sis. When piece measures 11 ./4 (12 1/2-13 3/4)" from beg, bind off.


SLEFFES Sew shoulder seams. With A girk up 14 (36-39) exalong front and back armhole edges, work I row in hite. Cut A Cost even with MC in hide and piece measures 3 1/2 (4-4 L/4) from beg. At each edge dee 1 st once Work even across 32 34-37) sta unit; piece measures 7 1/2 (81/4-9) from beg. Work I row in Ac cut A. Attach MC, work I row in hide, then I min in crab st Fasten off.

HOOD Beg at Front adge, with Mt. ch. 64 (66-68) + 1 10 tarm. Row I Had to End at From house and in each st across ch. 2, turn enchrow Assarchus Work in blie, det at each edge it st every 4 rows twice, then I st every I rows twice When piece measures 5 1/2 6-6 1/4)* From beg, bind off at each edge that on every row 6 sts 4 times. Bind off rem 9 (10-2)

FINISHING

Sew tower edge of Flood to neck edges. Edging Beg in lower edge of Back, RS Bacing, attach A with still at the work I mid so along tower odge of body, right front, hood, left front, lower edge of body, close with still in the rest of body, close with still in the rest Now At 2 work. mid hid, in A close with still in top of ch-2 Coll A Attach MC ch2, work and hide close with still top of ch-2 Cont with I mid in crab still that the rest of ch-2 Cont with I mid in crab still the rest of the close with still top of ch-2 Cont with I mid in crab still the rest of ch2 Cont with I mid in crab still the rest of the close with still the protection.





BABY'S VEST AND PANTS

SIZE Instructions are for 3 months. Charges for 6 months and 2 months are on pareatheses when only one figure 4 given, applies to all 3 sizes.

WITERIALS Emgeron, weight yorn, 50 g v 1 7/4 Cz bails 3 (3-4) in it, powder blue (MC), 1 (1-2) each in white (A) and in ith powder blue (B) A urmnum erochet books size 3/D and 4/E, or SIZI Dit (A) (A) (A) in v small white buttons. Plus clost vimes (b) by wast.

GAUGE. 4" sq == 20 sts and 18 rows in hide with larger hook, 24 sts and 28 rows to se with larger hook. TO SAVE TIME, TAKE TIME TO CHECK GAL GE.

STITCHES YOU WILL USE. Ch. sl st. sc. hdc. de - see CRO-CHET BASICS. Dir Yo 3 umes, pull up lp in next st. yo and draw that his on hook 2 by 2. Crab ir. Work sc. from left in right instead of from right to left. Single par '2 rows sc with A. 2 rows sc with MC. 2 rows sc with A, 2 rows sc with MC. 2 rows sc with B, rep from "required number of times. Carry anassed color loosely along edge of orece."

TO MAKE

PANTS Begal lower edge of one leg, with MC and targer hook on 32 16-40) + 1 to turn. Row / Scin 2nd st from book and a each si across, ch i turn each row New rows 2 Work in so for 1' change to hide and inc evenly 14 ets on first hdc row - 46 (50-54) sis. Work even in hee (ch 2, turn each now) until piece measures 6 3/4 (7 1/2-5 ./4)" from beg, put aside. Complete 2nd leg to comespond, Now oin both ices. Work even in hide across 92(00-108) six until piece measures 13 (14 1/4-15 /2f from beg. Change to smaller hook, work 8 rows sc, ch Stotum, work I towette Fasten oll

FINISHING

Work I may crab st across lower odge of each leg. Sew leg seams and back seam. Fold dir row to WS, sew to WS with slip-citch, usen elastic before sewing closed.


*FSI "Beg at lower edge of fronts and back, with it and larger hook ch 92/100:108 + 1 toturn, Row! So in 2nd at from hook and in each stacross of I turn each row


Rane 3-6 Sc Agar rane Work even in surper pail antill reference measures, 43/45 /2-63/47 from beg. Divide work. RIGHT FRONT Work across first 33/5-27 is seeping if pail but at arm edge. Shape Armhole. Ring inff. 4st milet. 2 sts. Work even in naturn, piece recasures 7/4/4/81/2 y 43/47 from beg. Mape Veck. At neck edge and no every rowhind off. 4 (5-6) ists once. 2 sts. banc. 2 sts. 1 times. When piece measures 9/1/2/10 1/4. 1/21 from beg. Band off new 6 /7/8, is

to Shape Shoulder LEFT FROM Work to correstional to request shapings. BACK Work across 46 (1963) BACK Work across 46 (1963) center ste Shape (rinholds At each edge and in every low, keeping to park bind olf 3 stronce, 2 we since 1 a tonce 3 4 (1964) 3 % Work even until piece measures 9 0 3 4 110" From beg. Shape Acck Leave 20 (1942) center six anworked contion one side only. When nece measures same as more, build off right 6, -6 six to shape shoulder Compilete Same day to de to correspond.

FINISHING

sew shoulder seams. Fdeings finished by the B and since finish pick up 50 f54-bth sts among each armhole work 3 or tows beck. With B and smaller hook pick up 60 65-72) to doing neck edges work 4 st. rows. Left from Hand. Pink up 46 f56-86 is along left from edge, wirk 4 st. rows arrises. Right from thini. Same as left from tedge wirk 4 st. rows arrises. Right from thini. Same as left from tedge to vite 4 st. 7 sts. placing the first and the last 2 sts. from edge the vities 8 69-71, sts. apout 5-ew on buttons opposite buttonholes.









EXURBANITE LACE **BLOUSE**

SIZE. Instructions are for Me dium (fits 34-36" bust). Changes for Large fits 38-40" bust) are in parentheses. When only one figure is given, it applies to both

MATERIALS : COATS Max. "Pellicano" Kn.tting and Crochet Cotton no 8, 200 g or ca, 7 1/4 oz balls . 2 balls in color of your choice, Red Heart / Susan Bates steel crochet hook US size 6 OR SIZE FOR GAUGE

GAUGE:1 diamond = 2" wide and 13/4" high, 1" = about 11 ch SIS. TO SAVE TIME, TAKE TIME TO CHECK GAUGE

PATTERN ST. Rows 2 thru 9 of Frant

TO MAKE

FRONT: Begat lower edge, ch 193 (214) Row 1 : Do in 4th st from hook, I do in next ch. *5 ch, sk 2 sts. 1 se in next st. sk 2 sts. 5 dc in next st (= shell made), sk 2 sts, se in next st, sk 2 sts, shell in next st, sk 2 sts, sc, n next st, 5 ch, sk 2 sts, 1 dc in each of next 4 sts, rep from *across but omit I do at end of last rep; ch 5, turn. Row 2. Sk first 2 de, 1 de in next de, *3 de m next ch lp, 5 ch,

I so in center of next shell (= so over sh), shannext sc. sc over next sh, 5 ch, 3 do in next ch lp, do in next de, 5 ch, sk 2 de, de in next dc, rep from *across but omit 5 ch and I do at end of last rep. 1 ch. I tr in top of Tch; ch 1, tam. Row 3. Sc in first tr, *5 ch, sk 3 dc, I de in next de, 3 de in next ch Ip. 5 ch, so over next sh, 5 ch, 3 de in next ch lp, de in next de, 5 ch, so in next ch lp, rep from* across, and with se in 4th st of ch-5, ch 3, turn, Row 4:2 de in first so, so in next ch tp, *5 ch, sk 3 dc. dc in next dc 3 dc in next ch lp, 2 ch, 3 dc in next ch lp. de in next de. 5 ch, se in next ch lp, sh in next se, se in next ch lp, rep from "but omit sh and 1 sc at end of last rep, end with 3 dc in last se; ch 1 turn. Row 5 : Se in first de, *sh in next se, I se in next ch lp, 5 ch, sk 3 dc, dc in next dc, 2 de in next sp. de in next de, 5 ch. so in next chilp, shiin next so, so over next sh, rep from" working last so in top of ch-3; ch 3, turn Row 6 : 2 de in first se *se over next sh. 5 ch. 3 do in next ch lp. de in next de, 5 ch, sk 2 de, 1 de in next de, 3 de in next chip, 5 ch, so over next sh, sh in next sc, rep from "but omit sn at end of last rep. 3 de in last se; ch 1, turn. Row 7 : Se in first de, *5 ch, 3 dc in next ch lp, 1 dc in next de, 5 ch, 1 sc in next ch lp, 5 ch, sk 3 de, 1 de in next de, 3 de in next chilp, 5 ch, so over next sh, rep from "working last so in top of ch 3 ch 5 tum Row 8 - 3 dc in

first ch lp, *dc in next dc, 5 ch, se in next ch lp, sh in next se, se in next ch Ip, 5 ch, sk 3 dc, dc in next do, 3 do in next ch lp, 2 ch, 3 dc in next ch tp, rep from *but om t 2 ch and 3 dc at end of last rep. 1 ch. 1 tr in last se; ch 3, turn, Row 9: De in first sp, de in next de, *5 ch, se in next ch .p., sh in next se, se over next sh, sh in next so, so in next ch .p., 5 ch, sk 3 de, de in next de, 2 de in next ch-2 sp, de in next de, rep from *but omit 3 dc at end of last rep, 1 de in next sp, 1 de in 4th st of ch-5, ch 5, turn. Rows 2 thru 9 form pat Next rows - Rep pat 7 times more. Shape Armholes . Sl st in each of firs, 29 sts (= 1 pat dec), 5 ch, *de in next de, 3 de in next ch lp, 5 ch, so over next sh, sh in next sc. sc over next sh, 5 ch, 3 dc m next ch lp, dc in next dc, 5 ch, sk 2 dc, rep from* 6 (7) times more but omit 5 ch at end of last rep, 1 ch, 1 tr in next de; ch 1, turn. Next rows : Rep. rows 3 thru 9 of pat once more, then mws 2 thru 5 (rows 2 thru 9). Shape Neck : Row I (Medium only): 2 de in firs, se, *se over next sh, 5 ch, 3 dc in next ch lp, 1 de in next de, 5 ch, sk 2 de, 1 de in next de, 3 de in next ch lp, 5 ch, so over next sh, sh in next sc. rep from "once more, sc over next sh, turn Row I (Large only): Sk first 2 dc, *dc in next dc, 3 dc in next chilp, 5 ch, 1 sc over next sh, sh in next se, so over next sh. 5 ch. 3 de in pext ch lp, de in pext


dc, 5 ch, sk 2 dc, rep from *twice more but omit 5 ch, 4 dc and 5 ch at end of las, rep; turn BOTH SIZES Row 2 - Si st in each of first 4 sts. 5 ch, work in par st ending 5 (3) ch., tarn. Row 3. Work in pat st ending 2 ch, I tr in last dc, ch 3, turn. Row 4:4 dc in first so, so over next sh, work in pat at ending 5 (3) ch; turn. Row 5: Pat at ending I so over last sh; turn. Row 6 : Sl st an each of first 4 sts, so in same sp as last slist, cont in parist Row 7: Pat st ending 1 ch., tr n last sech 3, turn Next rows Work even in pat st until 12 pat from beg. of blouse have been completed. Now work 1 (5) row(s) more in pat st, end at neck edge. Shape Showlder : 1 sc in first do, 5 ch, 3 do in next ch lp, de in next de, 5 ch, se in next ch lp, 3 ch, sk 3 de, I hde in noxt de, 2 hde in next eh lp, I tr over next sh; turn. Next row: S. st in each of first 7 sts. 3 ch, 3 hde in next ch lp, 1 de in next dc. 2 ch, sk 2 dc, I dc in next de, 3 de in next chilp, 1 ch. 1 tranlast sc. Fasten off (= first side completed). For 2nd side, xk 3 complete diamonds at center of neck, attach thread with sl st in center of next sh, work so in same sp as al st, sh in next se, so over next sh, work to correspond to first side but reverse shapings.

BACK Work same as Front

SLEEVES: Beg at lower edge ch 172 (193). Row I : Same as row 1 of Front. Next rows : Rep rows 2 thru 9 of pat 8 times, Fas en off.

FINISHING

Sew shoulder seams. Sew top of sleeves to armholes. Sew side and underarm seams. EDGINGS : Neck . RS facing, attach thread with slist at shoulder seam. Rnd 1. 3 ch, work in do evenly along neck edges, having a multiple of 6 sts. close with sl st in top of ch-3 Rna 2.3 ch, do in each do around, close with all st in top of ch 3 Rnd 3 . Ch I, sc .n same sp as sl st, *sk 2 dc, in next de work 2 dc, 2 tr and 2 dc, sk 2 dc, sc n next de, rep from *around bu. omit se at end of last rep; close with sl st in first sc. Fasten off Body: RS facing, attach thread at side seam, then work same as Neck edging Cuff · RS facing attach thread at underarm seam Rnd 1:3 ch, work in do evenly along lower edge of sleeve having an even number of str. close with sl st in top of ch-3 Rnd 2:2 ch. de in next de, "leaving last lp of each st on hook work I do in each of next 2 de, yo and draw thru 3 lps on hook (= cluster made), rep from *around; close with slist in first de. Rnd 3 : Sc in same sp as si st, so in each st around; close with all st in first se. Fasten off Iron lightly on WS over moist press cloth using a warm iron









AIRY T-TOP

NAME One wide, fills up to 38"

When curry Amends 7 halls

Susan Bales one) conches bonk US use 5 OR SIZE FOR GALGE Offray 5/8° wide

eds in cides at vitto statios cut into + equilibringuas

TARE THE TO CHECK

STITCHES FOR MAIN LOSE. Choose Main see CRO to the see the and to the CRO to the see that the se

NOAT Cha Ren Week 140

top of cast to 49 times cot a harm flow. See in the in 50 ph, so in 5 nexts to rep from series and log is leds, 1 de or same ap its first de 1 ch, and flow 3 See first de 15 ch, so in nex the 4 pt spp from to within first de 3, so in

ch le, rast franti facerosis eculing. I chi, li de sis sent sie. I chi, tuen

de uned remoth at one of their role of Traff. Flashen of Trager Server Cho. work in the Silver Institute brook.

of etc., to be now of lead by fit times to stage in a water lost, and it is not a partial by a charge in the probability of the

de in hele a inc. 10 de aint dans J. So in favo child in Mich. in in most child, in principal Servesi ending I ch. 1 de in test st. Joh, turn Rob. So in first de Mich.

actors to within Leb, eh, de

Repriew 22, notice flow Jin. Science Light up, 14 ch.

critical falls, the in new sec Lab turn Know 27-29. Week even in pris 8 Raw 37-30 bette to 1980 7 bette har ak Tab at end of how Proden off Worst op Assaulter falls to 18 Mars of Scatting by 12 center of 18 Front in course future model first Neck Singaring result Attach through with it is no heat of his form.

from" senses to within Tell, 1 ch se in 3rd at of ch-4, 4 ch, turn Roy 2. So in first ch to *4 ch

with the set of the fine team with the fact of the fine team.

Was 4 Se in the ch jp, 44 ch se in seek do jp, ser from houses

Rive II Se in fuse de, which, w

to a to the terms of the top of logic to the top to the terms of the t

 with all the post se, with

with slist in pertise, work, a chase in next chain 90 annea. I chain the inness seried from Merchania Continuori even mena for all convenience. According

ip, rep from factors up to Tch, 3 ct. 1 sc in the st of chet. Factors

S. W. Copples

The state of the s

ending 4 ch, close with view or

the first transfer of the tran

are of the by detailed





BERIBBONED

BARE-SHOULDER BLOUSE

h s Ching - 2h 4 -MALLII IIL L 1 5 11 5 181 68 N 12. In Keel my mo from he

de on the Man plant of on its feet that the to the Radio State Age. to the total to the state of the AR OR SIZE FOR GATOR h = 0 = 0 The n of the through at the o

I A LINNING " WE

TO MAKE tigo as dec a 400

A William to all of Forcels with Thing P. to a high might halden of a se 9 7 h 5 4 cam or all or for the late. The

Along the state of 99 810 8 176 1h W: 344.4 5 1 13 4

From Sp. 4th 2 dos and intrapped char S CHINA C AR · ins more but apple 2 ch A survey to pal st, work when on age side andy for O come more. Stupe ShowNer I do to Gra sp. "at 2 de, 1 se to sept de, 2 ch, de ra nex de, 2 ch, st dest sp. 4 de in nex. sti, rep finns 13 (4) times more shi 2 de, 1 so in next

first 6 ats, 2 ak, 4 de 45 news ep. or no party of the Party of the first of the second party. the as \$5% in the die threat with it it in text it ich 3, con: norme in the in Complete

Individuo cormicsond but creame.

N. A. Hell at total des 1 of After armitote shaping new work experience to the true that the true to th J1 1. many and the department of the probur um and a mice net a mile 11 W 101 ting on a Appe St. 466 app. | Dickesp. |

हरूर का ती कर मान कर ति है। HITE IS THE ALL IN MAILS

all dur with a series of period install Alp L

ELL I MATTE KAR. K. o he after it the new with a store 7th free st to left of pight corner m H. h. W. opt. III S. des a de ab quest ta a che tal ne s aptivate in negative, who is a finite of the second section of the section of the second section of the section of th leaving last to of ear to in hirth work I do in each oil next 2 at and over each of nex, I now ends so and draw thru 5 his on heark next new and) In times. I ch and

IL F spund, ending with a corner tich post that is a state of the sta to colore up all a money of the in note up, 10 termes. I se un equitof pest 7 sps, if do in new sp or rich to the

and the state of t to next sp. I at in next (pu ditimes n next of her with an a

Ratto by Tilly St. A S lat. the much a to with a the ant of Real 4 9 white is not be margine a bound my my d

discovering a new mean if his A Annual price per his dicting assuch thread with at at its 1 sp. n do in deal sp. sk ner ap, rep from *around ulose with Similar to the second of the first and head on a al hi to top of chi-i Fusion off. 4 4/ATR 4/ATR Beek Begut name rose edge, etc. 26. Rain > (WS) Do in the ch from hook and an

h h h ink on terms, ch turn A High rights 2 and 3 up till his op mans 1 1/4)* Isma beg. Omat Work same as book buy after completing his low chil tora. Work to an each of next 10 de 6 ch remove horac Omyo in oil fact so insert brook

are work or ip mude, the meach or neur 4 sts. Fasten off his facing, others christia with a fit in first or of begin th I so in a) st. I so in each

on result so and draw diversed in

arm wastroom than a tal it has another the fourte if necessary. New on humans to back book servisite historibules. trop hightly on WS with water

WIRRINGTONE LISING Photo in dense as now with blanks he was the market of the beautiful to the second of the se et warsband

MAGIC CROCHET

Subscription order form



We'll send you the next 6 issues of Magic Crochet at the special subscription price of only \$15.50 * Please enclose a Lijeck or noney criter made out in MAGIC PROCHET MACAZINE Your subscription will start with the next issue.

Fil. out and ma., the Order Form today

PRINT YOUR NAME AND ADDRESS HERE

Jair	าต	

Address

City

State No TE If you don't want to cup it is page use a separate sheet of paper Subscribe to

CROCHET today and

off the newsstand pnce

Mail this form with your payment to

Magic Crochet Subscription Dept P.O. Box 830 PATTERSON NIV 12983



SOUTH-BOUND **CARDIGAN** WITH NORDIC COLOR-

SIZE: Medium (fits 34-36" bust) MATERIALS: Sport weight woodyarn, 50 g or 1 3/4 oz balls; 15 n white (MC), I each in blue (A). gray (B) and black (C). Aluminum crochet, hook, US size, 4/E, or SIZE FOR GAUGE Six white b.attons.

GAUGE.4 sq = 15 sts (= 8 motuls + 1 st) and 11 rows. TO SAVE TIME, TAKE TIME TO CHECK GAUGE.

PATTERN ST (multiple of 2 + 1). Worked with MC. Row I. "I sc and 1 dc in same st, skinext st (= 1 motif), rep from *across. Row 2 Se and de in each se across Rep. rows 1-2 for pat, COLORWORK Follow rows 1-19 of diagram (WS rows = sc). Cut and join colors as needed

TO MAKE

BACK With Cich 56 + 2 edge sts + I to turn Row / So in 2nd st from hook and in each st across ch. I, turn. Rose 2. So in each st. across, ch 3, turn Row 3. De in each st across; ch i to turn from now on. Beg and end next


colorwork rows with edge st Row 4. With A work "(1 sc. 1 R de) 3 times, 4 sc, rep from* across Row 5 and all WS rows : Sc. color as per diagram. Row 6 With B work *1 R overde on row 3,5 sc, (1 R tr. 1 se) twice, rep from * across Row 8 - With MC work * (1 sc. 1 R trover R de on row 4) 3 times, 4 sc. rep from *across. Row 14: With C work *1 R tr over R tr on row 6. 5 sc, (1 R tr, 1 sc) twice, rep from* across. Row /2 . Same as row 8. but work R tr over R tr on row 8 Row 14 Same as row 10. Row 16 With MC work same as row 8.
Row 18 With C work same as row 10. Row 197 Se with C. Cat C. and colorwork. Row 20 := row 1 of pat str. Change to MC and pat mouls, me 3 mot is as follows:

(6 motifs, 7th motif in next st instead of skipping) 3 times - 32 mouls or 64 sts. Next rows. Work even in patst until piece me istires 25 1/2" from beg. Shape Neck : Leave 8 center mot. is unworked. cont on one side only. Shape Shoulder; At arm edge and on every row leave 6 motifs unworked twice. Fasten off Complete 2nd side to correspond but reverse shaping. For beg of armhole, place marker 7" from shoulder edge


SIDE BAND: Across left side edge of back, bet marker and row 19 of colorwork, with MC pick up. 48 sts Work 5 rows sc. dec 1 sc at colorwork edge on each row. Fasten off Work across right side edge to correspond.

RIGHT FRONT: With C, ch 25 + 2 edge sts + 1 to turn. Rows 1-3: Same as back Row 4 · Same as back but beg with 5 sc, (1 R de, Lisc) twice, 5 sc and so on across Rows 3-19 : Colorwork pat Row 20 Change to MC and pat st Inc. 3 mouls (see inc on pat st diagram) 4 motifs, 5th motif in next st instead of skipp ag, (3 motifs, 4th motif in next st instead of skipping) twice - 15 mouls or 30 sts. Next rous : Work even in pat st until piece measures about 23" from beg, Shape Neck; At neck edge leave 2 mot fs unworked twice, then dec 1 st every other row 4 times. When piece measures same as back, Shape Shoul-der to correspond. Place marker 7° from shou der edge for beg of armhole

PAT ST FOR WHITE SECTIONS



Note Unbracketed numbers refer to inches numbers in brockets refer to statches or rows







SENTIMENTAL RIBBONS

PILLOW COVER

SIZE Prilow measures 1 3/4" in diameter without ruffle

MATERIALS - Eeru sufin fabric. 35"/36" wide 1/2 yd. Round 14 mch embreidery hoon. Round pilliow form, 11 3/4" in dameter Daubie-face ribbons /8"-wide Drunie-face moons 78 -wide 2 1/4 yds voolet, 3 1/4 yds ydlow, 4 3/8 yds burgundy, 2 1/4 yds Indian mak, 1 1/8 yd brak 3 1/4 yds orange 1 1/4 yds goid ye iow 3 1/4 yds apple green, 3 1/4 yds airmond 5/8 wide 1 1/8 yd Indiam pink, 7/8" wide 3 1/4 yds ech. Large-eve crewe needle bewing needle and matching thread Graph raper Pent I Diessmaker's carbon paper

TO MAKE

PILLOW FROYT Cut satm fabric into two equal pieces. Entarge design to actual size on graph paper ruled in 1º equates. Place dressmake is earbon pape in one piece of satin trace enlarged design onto piece taking care to center well inside a 13 3/4" raced e rete. Place satire piece in hoop Embroider flower petals and leaves with straight statch. For yellow flower hearts make French knots. To make omone flower hearts, dat 2" length of ribbon. gather sew in place. To make loc, 6 c burguady flowers, work straight statch but place Imger under ribbon before bringing needle down. Make close strickes Orange vates are at blanket stitch After completing embraidery (i.d.) our circle

PILLOW BACK Trace circle 13 3/4" in diameter on Ind mece of salm Cut ou circle. To RS of circle, 7/8" from edge, baste 7/8" wide ribbon making even picats toward inside Baste 5/8" wide pink ribbon on top of ecru picated ribbon, casing where necessary Machine-seitch close to edge of a bbons. Remove ha. ting

HMISHING

Place front and back RS together nachme-satch all around Infrom fabric odge leave opening to usert pictow form. After slipping in form, sew opening closed with sup-stack



ermediate

FEATURING





This

orange gold yellow apple graen armond

romantic

cushion

will

prettify

any room

DECORATOR'S DELIGHT

PICTURE FOR A CHILD'S ROOM

SIZE: 8 1/2" x ca. 0 1/2"

MATERIALS: Plastic canvas, five-mesh, piece 8 1/2" x 10 1/2"

Tapestry wool, 1 skein each in

blue and in yellow Small amount black yarn, yellow and grange raff a. Cotton fabric, ecru, piece 7 374° square. Felt scraps in red, black, green and sky blue. Small paper ball A few grains of wheat or rice. Tapestry needle. Small amount pink absorbent cotton. Graph paper. Pencil. Pabric glue. Dressmaker's carbon paper.


STIFCHES USED: Oblique stroight st. Bring needle up on RS of canvas, pass needle down into mesh 3 rows up and 3 meshes to the righ. Backstlich Running stitch. Overcast stitch. Stroight stitch

TO MAKE

Using oblique straight st on canvas, embroider 6 rows with blue for sky and 13 rows with yel ow for grain fie d. Enlarge all patterns to actual size on graph paper ruled in 1" squares. Transfer patterns to respective fabrics by tracing times with a pential over dressmaker's carbon paper. Cut out all patterns.

COAT: Make slash in center of front, fold edges back for lapels, glue each lapel in place. Center pocket near lower edge of coat, sew to coat with black yam and running st. Sew blue patch to coat with straight st and black yarn. Sew coat to embroidered canvas with running st and black yarn. Glue blue fe t piece in place between lapels. Glue green patch in place. Cut a few pieces of yellow raffa, about 3/4" ong each, g. ue in place under each sleeve.

HEAD: Grue pink cotton disk in piace for face, a few 3/4° ong yellow raffia pieces for har. Sew green patch to hat with black yarn and straight st. Glue on hat over har Make facial features with bits of felt, glue in place



sub Entire and son rase with a low part ball of cells of law, thate is weather that of cells of law, thate is we straight also over it spread after cover ball of the sub-with many raffin and straight si

CATATALAS Embroides grains with rellow and orange raff's tong backsafteh. Create 3-dimensional effect by slipping a grain or near n wiscat under the lower of each. The skidt best is aw sing long site glid 4-smace with trange raffs. Staff in little absorbers, entire meder leaf on reft.

CHICA Make its prompon with so ow lape my writer gline on black full for every energy for the fiverty perspond in pracket opening, gave in place.

#INISHIVE
Work overcost at with black yarreal
at around the cures of curves
so varied doubled if resessary to
over cures.





33 FABULOUS FELTWORK

SOFT DOLL

By Françoise Schildge


green and in rose. Small amount white and red pearl cotton. Double-lace ./4" wide yellow satin ribbon, 5/8 yd. Pink cheek rouge Polyester fiberiil. Two black heads Fabricgine Sewing hread EQUIPMENT Graph paper Tolor's chalk Sessors and pinking

TO MAKE Enlarge all patterns to actual size on graph parker ruled in 1" squares. Mark position of ribbons and so on Cur set each except body as ng minking shears where necessary

BODY Place pattern on two thicknesses of white left. Mark

authine with taylor's shalk Machime stitch on marked line Cut ou feli 1/4" from seam fine Make sinch in center of back. Turn body to RS. Smill reaching into logs and arms with pencil, Sew stash

HalRPIECE Make moisings on



FEATURING

rant and back regether as pernation. Place hairpiece on head, we to neck in hack Cut verous shoot is two, put one piece prough each six the around har fACE. Sew on black bends for eyes Embraider mouth mout be t with red pearl cotton for cabut rom scrap of red felt gute and CLOTHES Punch holes into bright pink band bottom of skirtl as per deapron. Punch 2 chestrat dots, save for sleeve organs. Topsitch flower obbran to collar and to skart section. Top-statch antique pink bands to sleeve edges, glue ebestinat dot to each finot originally place chestratic band on bright mick band, stitch. Place antique.


peak skirt section on chestnut hand, stitch Work 2 rows of running at at top of skirt with white pear cutton, put threads for gathers. Assemble and stitch top of dress. Such collar to blouse, swin 3 green buttons. At wast-blouse, place skirt over blouse, stitch to blouse making seam between rows of gathers. Sow back seam of skirt placing fel. over

felt. Sew on 3 buttoms along left back opening of blouse placing I buttom at waist and I at neck adage. Make surs for buttonboies apposite buttons on right back specing.

TIMISHING

Put dress on doll. Fluff up hair to give it natural appearance. Apply rouge to checks

SEWING







FABULOUS FELTWORK easy to make


OVEN MITT

MZE 6" x 9 1/4"

MATERIALS Felt, 35"/36"-voide 3/8 yd such in red and in yellow sembs in white apple green and orange. Two silver buttons with shanks. Two self-adhesive silver diamonds. Small amount white pearl cotton Glue Same EQUIP-MI NT as for Soft Dot1

TO MAKE Enlarge patern to actual size on graph paper ruled in I" squares. Place yellow felt on in I squares. Place yellow fell on red fell. Place patient on vellow felt and trace outline with taylor's chalk. Trace death patients on respective felt pieces, cut out. Mark position of stitching rows (Fingers), fingernalls and so on for back side of mitt. Stitch through two thecknesses on catted lines. Perpage main saids of catted lines. Perpage main saids of dotted lines. Prepare paim side of mitt in same way but reverse posi-tion of thumb and outst finger nails, ring, bracelet. Cut red son lops at ower edge 1/4" beyond yellow scallops Decorate back side as follows

Rings Da ring linger place dia-mond in green feb. I silver carmond then a white felt disk Sew on silver button with pearl cotton, passing needle through all thicknesses Braceles Place orange hand on mitt, place while band on orange band, top-stileb in center of white band. On ed side of bracelet decorate as for ring. Fingernalis . Glue each or place as per diagram. A place both sides of fult with red felt oge-ther, machine-suich along chair tine Cur out anti 1/8" to 1/4" beyond stacking line Punch hole in scallop at righ, edge for banging loop







elegant

handling

of hot

pots and

pans

TAPESTRY TREASURE FEATURING

SEAT AND BACK FOR AN ANTIQUE ARMCHAIR

grage digits worked in magnetistics.

at Recommendation in the property work in Recommendation in the property in the property

to the first influence in the contraction for the contract with a million of the contract with and oppose mark spinor or the contraction of the contraction in the will no out the connection of the contraction many or oppose in the first less the contraction and less the contraction.

arguns an worked the tie simpleted modes a to welling at the consumed ties shall be bricked and committee

distributes (rationals → MA 57% (rational) optionals in distributes > 20



$U_{ m se}$ the

humble


straigh:

stitch

to create

a high-art

effect





VEEDLEBOINT



3 OLD INTO NEW

PATCHWORK TABLECLOTH

By Taeko Takebe

SIZE 45 1/2 x 47 3/4"

MATERIALS: About 40 o.d neckties (choose different colors and no-stretch fabrics). 39" cotton print fabric, light beige

background; about 1 3/8 yd. 50" solid cotton fabric, tan (for border); 1/2 yd. 48" cotton fabric, ecru (for lining); 1 3/8" yd. Sewing thread, ecru. Thin but stiff cardboard, piece 2 3/4 x 3 1/4".

EQUIPMENT : Rit. et Pencil Shears. Sewing needle Sewing machine.


TO MAKE: Undo neckties, wash or dry-clean fabrics, press with care

TRIANGLE IFMPIATES: On piece of cardboard draw an isosceles triangle with base measuring 3 1/4" and bisector 2 3/4", also a right triangle, with lines forming right angle measuring 2 3/4" and 1 5/8". Cut out both triangles along traced lines.

PATTERN PIECES: Place templates on WS of fabric. Cut out, adding 3/8" seam altowance on all sides: 172 isosceles triangles and 15 right triangles in necktic fabric, 173 and 15 in cotton print fabric.


TO ASSEMBLE

TRIANGLES: Make band by sewing tog 23 isosceles triangles (alternate necktic and cotton fabric as per diagram), at each end of band sew one right triangle. Prepare 15 bands in this manner, pross soams to one side. Sew bands tog, taking care to match angles Press seams open Rectangle tablecloth should now measure 39 x 47 3/4" plus 3/8" seam allowance on each side BORDER . Cut out 4 bands in tan cotion fabric, 2 measuring 46 1/4 x 4" and 2 measuring 48 1/2 x 4" Sew bands to tablecloth having 3/8" seam allowance. Press seams open. Miter corners, cut away excess fabric, press seams open. LINING - From ecru cotton fabric cut out rectangle measuring 39 x 47.3/4" Place lining on patchwork RS tog, strich on three sides making seam 3/8" from edge. Turn to right side. Sew fourth side closed with slip-stitch. About 1/4" of borger will be on WS of tablecooth all around



Necktie
triangles
will make
a trendy
tablecloth

internagiate



EQUIPMENT AND SUPPLIES


Dressmaker's shears Scistors. Bashing sewing and embrudery needles, Straight plus, Sewing machine

Besing and sewing diread. Surstrand embroidery fless. Flavor thread. Buttons, Beads Sequites Assorted ribbons, Artificial flowers

Wood or bamboo sticks 1/4" of diameter 4" to 5" long. Ruler. Dry-pastels or erayons. Challe pental or marking pen. Peft-apped and

Pencil. Drammaker's carbon paper Tracing whee. Tracing paper White craft give.

Stiletto, Iron



CHOOSING A FABRIC

TO MAKE RODY. The most appropriate fabric is soft, closely woven and can be site chied where shape is moded. For the curve of a cheek, for instance. We suggest one of the following.

Cutton Jersey. The suppleness of this single half is maited to its weight in the finer the finer the freether he greater the give. Woused medium-weight tensely to make the heads and bodies of our deas. You can purchase this labba in department stores or a specialitied shops. You can also use an old T-shiel or estima underwear Since Reshield in the major and the second of the stores of the shield of the sh

To diff coffion jersely tise a chamical dive that is dissolved in hot water. Mich was parts beige with one part light pink to obtain flesh only fight you may have to change the proportion depending on the brand you use, so it's a good feet to ask the advice of the dealer where you purchase your dye. Dig in a small piece of fabric to lest the shade before dyeing the whole on

Flannel. This fabric may be difficult to get in flesh color but it can be as easily dyed as cotton jursely.

Other fabrics. Fine linens, wool knit fabrics and erry cloth may also be used, but you may have to adjust the patterns, since discovere designed with stretchy fabrics in mind. Avoid fabrics that are 100 Soft.

TO MAKE CLOTHES Almost any fibric can be used to make the ciothes, woolens, velveteen, sith, sitk, crepe and, of course, cotton, which is as easy to work with For a coordinated took, you can cotor be yarn for your doll's bur and the lace for her dress with the same dye you used to not the cotton (trat check the labe to be wire he dye will not damage your materials). You can also use natural dyes such as teat coffee, onco skip and so in.

HELPFUL HINTS

CL PTING THE FARRIC FABRICS used for body parts that will be stuffed should be cut on the lengthwise grain line, parallel to the labric selvice (see arrow or each pattern. This is particularly important for supple fabrics such as jersey. When patient pieces for the body or for clothes have to be cut twice. I'old the fabric right sides together and cut through both thicknesses after adding I 4" soom allenvince all around. When using a thick or coarse fabric, cut a single bickness, then reverse pattern and cut a second piece or single bick, as Always tube fer patterns to wrong side of lubric Cut out all pieces /4" beyond pattern lines for seam allowance

(inless otherwise instructed). If you are using a labric that frays casily the Sean allowance should be increased to 578". Maierials such as felt and vinyl require no seam allowance could them on the pattern line and sew close to the

SEM ING. To assemble the pieces. that need to be sewn, pin, or better still, baste them ingether Stillch all plant seams on your sewing machine, regulating the stitch ength in accordance with the weight and texture of the fabric you are sewing. If you sew by hand, use the backstitch, keeping. striches closely spaces. Over-andover and blanker staches are frequently used for accessories shoes, buts, hundbags and so on. When making curved seams, we suggest that you stitch the seam twice, then clip or notch the seam allowance before turning piece to right side. A corners, frim away the seam allowance close to the sutch ne.

Press seams open as needed Remove all busting


STI FFING. We recommend using kapok because it is particullurly resident. But you can use other materials such as fiberfil, cotton, bits of feath rubber nylon sockings and the i ke



EACHAL HATURES There are different ways to make eyes, nose and meath. One way is to cut them from felt. Another way is to entitle many them to make eyes, and make them tong outline unit and straight statches. You can also draw them with felt pens and crayons, or punt them on using serythe paints. Sew on a botton for a nose, sequins or beads for eyes, or combine all the abovementioned possibathers for a ruly original effect.

Expressions Most dolls look happy and generally pleased with

the world, but you can also make been look statey, funny, wenny, aughty, teledry, sleepy and so on. To get the catest expression you want, cover the opper ball of the head (where the hart will be just lightly nenction eyes, ruse and mouth. If at once you don't succeed, erese and try again, and the face looks just right.



FEATURING

IOW TO MAKE THE BODY OF A DOLL

O TRIVSTER PATTERAS, water a terminate for each body and as follows. Place tracing paper in puttern and go over lines with each. Glue tracing paper to thin at stiff cardboard, cut out patterning traced bres.

GCUT OUT PATTERN PIFEEN and template on wrong side of brig. When you need we places the same pattern, fold fabric

the same placer, fold more through sides together Mark aline of piece with a chark pentor marking pen, add AP scam have det all around before atting Cut out head, body arms, was, legs and shoes in this one."

O SEN legs, you may have to w shoes to segs first. Machinetch arm, seg and ear nieres WS getter Clip or noteh seam allowrecurs needed, before turning aces to right side.



Turn preces to right side pushing with suck

Staff cars ightly using stick, staff four fifths of each lag and arm firmly leaving appearant parturations.

Baste aan to RS of head, placing them as shown on pattern (make sure they are symmetrical. Place 2nd head on first head RS logather baste and stitch all around, leaving opening for stuffing.




Clip and notch seam, turn head tonght ade, staff firmly Slip-steh opening closed.

When do is have elaborate sleeves, complete each sleeve first. Sew on face or trimming and make gathers before stifehing underarm seam in some cases you will sew arm and sleeve to body at the same time.




Baste arms to RS of body, placed toward center with thumbs pointing downward. Place 2nd body on first body RS together. Baste and stitch all ground, lowing tower edge open for stuffing.

Tam body to right side. Sew legs to front of body on RS.



Wrap a few layers of radding around a wood stick 4" to 5" long and slip stek into neck to rearrier to construct head and body. Stuff body family slipstich opening closed.



TO CREATE A FACE draw facin features lightly with a pencil keyping in mind that the appertual of the head will be hidden by h. r.

Stick needle with heavy duty thread arrough head from back to from, make a cross for each eye, eightening thread from back o create eye sockets.


With one strand of flors embroider nose and mouth using culine stitch. From fell cut out eyes (and any other feature) and glue in place.

TO ATTACH HEAD TO BOD! make measure in back of head with science points (see diagram), calarge mession using sulcito

Push neck into head, making sure the neck of the doll is neither too long nor too short. Sew head to neck, freeping stitches closely spaced Reinforce with a second seam of necessary.

Add half as per individual instrucions

Make clothes as per individual instructions.







37 GINGER, THE MODEL DOLL

SIZE: 17.3/4" tall.

MATERIALS : Cotton jersey, piece 27 1/2" x 11 3/4" in flesh color. Satin, 35"/36" wide, 15 3/4" in white. Red and white striped jersey niece 5 1/2 square Fine colton, piece 6 3/8" square in white Red and white checked gingham, strip 3 1/4" x 16 1/2". Felt piece 10" x 4" in white small piece in brown, Navy blue ribbon, 1/4" wide, 3 1/4 yds. Flat lace, 1/2" wide, a little over 1 1/4 yd in white. Knit ribbon, I" wide, ca. 3/8 yd in blue. Velvet ribbon, 1/4" wide. 1/2 yd in red. Silk ribbon, 1/4" wide, 15 1/2" in anvy blue. Medium weight knitting yarn. I oz in orange brown. Two snaps. Three navy blue buttons, 1/4" Four cyclets. Elastic thread. Small amount papter-mache, Felttipped pens, dk brown, brown and red. Rod crayon. Fine metal wire. 2 1/8 vds. Small wood stick. Fiberfill Padding, Cardboard, Glue.

TO MAKE: Read Helpful Hints, prepare patterns for doll and clothes.

HEAD : Cut face living pieces from flesh color jarsey, stitch pieces logether leaving opening for stuffing, stuff, sew opening closed. With papiermache, make an isosceles triangle for nose, let dry, glue to center of face lining. Place patches of padding on forehead, cheeks, thin and lips, then a layer of padding over entire face. Strich front and back of head together, turn to right aide. Insert stuffed face linings, with padded face against front of head. Stuff back of head, sew head opening closed. Complete as per diagrams 1 and 2

LEGS AND ARMS Follow diagrams 3 and 4. Shape wire as shown, wrap with padding Insert in legs and arms, stuff limbs. Sew legs to front of BODY, stuff body, insert wood stick to reinforce neck, complete stuffing body, sew opening closed. Sew arms to body with over-and-over stitches. Construct head and body (diagram 5). Make hair following diagram 6, sew to head.

CLOTHES: Prepare patterns, place on fabric following arrows for lengthies grain line, cut out. Make clothes as per diagrams 7 to 12. Top-stitch navy ribbons to skirt hefore forming pleats To make placket for back opening of dress, add fibric allowance as instructed before cutting. Tie gingham scarf around neck. Toy tennis racket and ball are optional. MORE PRETTY OUTFITS FOR GINGER COMING IN FUTURE ISSUES.

